

**TENDER SCHEDULE**

<b>Sl. No.</b>	<b>Item Description</b>	<b>Unit</b>	<b>Quoted Rate (in Rupees)</b>	<b>Remarks</b>
<b>2</b>	<b>PLAYING &amp; OPEN AIR GYM EQUIPMENTS</b>			
1	Supply and Fitting & fixing of FRP Dustbin of capacity 25ltrs. Height of 2.5ft and thickness of 5mm with all material, labour, accessories and commissioning all complete as per the direction of engineers in charge	Nos		
2	Supply and Fitting & fixing of FRP Dust-Bin 25 litres capacity with different Model Like Rabbit, Cartoon, Crocodile, Kangaroo, Panda, Monkey, Etc. with including cost of all labour, T&P material with all taxes complete as per direction of E-I-C. A) 40ltr	Nos		
3	The <b>dustbins</b> are made of FRP in different cartoon shapes and painted with attractive colours. The dust bins are of <b>height 1200mm</b> and having facility to drop waste from front and remove them from behind door. The dust bins are having facility to anchor ate site with cement concrete.	Nos		
4	Supply and Fitting & fixing in position <b>3 seaters Designer Bench</b> of approved design and make of minimum area <b>1.5mX0.6m</b> . Overall minimum height 0.8m consisting of 1. FRP channel Strip-seat & back with end cap- (C - section of thickness upto 5mm, 1200mm long with wooden finish bolted to side frames.) 2. BENCH FRAME (cast iron designer frame confirming to IS 1730 made from sand casting method) .	Nos		
5	Supplying, Installation, Testing and Commissioning of "2-Seater Swing" play equipment are mounted inside including all material, labour, accessories and commissioning all complete as per the direction of engineers in charge. 2-Seater Swing (Specially Aabled) Equipment Size: 5'x7'x10' Safe Area: 15'x 20' Material Steel GI Pipe.(2"X 2") Seat FRP Age Group: 2-14 Years Minimum Gross Weight:-85Kg	Nos		
6	Supplying, Installation, Testing and Commissioning of "Merry-Go-Round" play equipment are mounted inside including all material, labour, accessories and commissioning all complete as per the direction of engineers in charge. Technical Specification .Merry-Go-Round Area: 5' Dia Safe Area: 10' X 10' Age Group -3-12 Years Height : 2' Seat 04 no FRP Pipe-40mm ID B- Class GI pipe Handle : 20mm ID B- Class GI pipe ( Minimum 3 mm thick) Minimum Gross Weight: 75Kg 200Gm	Nos		
7	Supplying, Installation, Testing and Commissioning of "Spiral Slide" play equipment including all material, labour, accessories and commissioning all complete as per the direction of engineers in charge and Technical Specification.Spiral Slide Area: 10' X 16' Safe Area: 15' X 20' Height:7' Age Group:3-14 Years, Slide: FRP Pipe: Deck Pipe: 50mm ID B-Class G.I. Pipe Grill: 20mm ID B-Class GI Pipe Ladder: 25mm ID B-Class GI Pipe Step: 16-gauge MS Sheet, Handle:20mm ID B-Class GI Pipe (Minimum 3 mm thick) Minimum Gross Weight: 217 Kg	Nos		

8	<p>Supplying, Installation, Testing and Commissioning of "Straight Slide" play equipment including all material, labour, accessories and commissioning all complete as per the direction of engineers in charge and Technical Specification.Spiral Slide  Area: 10' X 16'  Safe Area: 15' X 20'  Height:7'  Age Group:3-14 Years,  Slide: FRP  Pipe: Deck Pipe: 50mm ID B-Class G.I. Pipe  Grill: 20mm ID B-Class GI Pipe  Ladder: 25mm ID B-Class GI Pipe  Step: 16-gauge MS Sheet,  Handle:20mm ID B-Class GI Pipe (Minimum 3 mm thick)  Minimum Gross Weight: 217 Kg</p>	Nos		
9	<p>Supplying, Installation, Testing and Commissioning of "Two Seated See Saw" play equipment including all material, labour, accessories and commissioning all complete as per the direction of engineers in charge and Technical Specification.Spiral Slide  Area: 6' X 8'  Safe Area: 8' X 10'  Height:24"  Age Group:2-10 Years,  Seat: 04 nos FRP Seat  Pipe: Main Pipe: 6' lenth of 50mm ID, GI pipe, Seating pipe :8' lenth of 50mm ID, G.I. Pipe (minium 3mm thick)  Minimum Gross Weight: 66.5 Kg</p>	Nos		
10	<p>Supplying, Installation, Testing and Commissioning of "Rainbow Climber" play equipment including all material, labour, accessories and commissioning all complete as per the direction of engineers in charge and Technical Specification.Spiral Slide  Area: 2' X 10'  Safe Area: 7' X 15'  Height: 6'  Age Group: 3-14 Years,  Pipe: Main Pipe: 40mm ID, IDB class GI pipe,  Ladder: 25mm ID B class GI pipe (minimum 3mm thick)  Minimum Gross Weight: 56 Kg</p>	Nos		
11	<p><b>Cross Walker Double</b> : Made of 114mm round pipe and 41mm round pipe GI jindal brand, skf branded ball bearing at movement point, makes it smooth, all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.  <b>Shoulder Builder (Specially Abled)</b>  <b>Equipment Size: 4'x1'x3</b>  <b>Safe Area: 8'x 8'</b>  <b>Age Group: 2-12 Years</b>  <b>Pipe Size: 3"x1" GI pipe</b>  <b>Minimum Gross Weight:-42Kg</b></p>			
12	<p>Triple Twister : Made of 100mm round pipe and 25mm round pipe GI jindal brand , skf branded ball bearing at movement point, makes it smooth, all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.  <b>Unit Dimension: 48" (H), 5' (W)</b>  <b>Safe Area: 8' X 8'</b>  <b>Pipe Size: 100 mm ID B-class GI main pipe</b>  <b>Handel: 25 mm ID B-class GI pipe</b>  <b>Step:03 no Plastic.</b>  <b>Bearings: NBC/SKF/FAG</b>  <b>Colors: PU</b>  <b>Nut &amp; Bolts: S.S.</b>  <b>Minimum Gross Weight-68 kg</b></p>			

13	<p><b>Dipping Chinup</b> : Made of 100mm round pipe, 32mm,25mm and 20mm round pipe GI jindal brand , all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.</p> <p><b>Push and Pull Up chair(Unit Dimension: 84" (H), 80" (L). 30" (W)</b></p> <p><b>Safe Area: 17' x 10'</b></p> <p><b>Pipe Size: 100 mm ID B-class main GI pipe</b></p> <p><b>Connecting Pipe: 32 mm,25mm &amp; 20 mm ID B-class GI main pipe</b></p> <p><b>Seats. Plastic Bearings. NBC/SKF/FAG</b></p> <p><b>Colors: PU</b></p> <p><b>Nut &amp; Bolts: S.S</b></p> <p><b>Minimum Gross Weight-141 kg</b></p>			
14	<p><b>Shoulder Wheel</b> : Made of 100mm round pipe,25mm and 20mm round pipe gi jindal brand skf branded ball bearing at movement point, makes it smooth, all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.</p> <p><b>Big shoulder wheel(Unit Dimension: 58" (H), 36" (L), 24 (W)</b></p> <p><b>Safe Area: 5' X 5'</b></p> <p><b>Pipe Size. 100 mm ID B-class GI pipe (Main),</b></p> <p><b>Ring: 25 mm &amp; 20 mm ID B-class GI pipe</b></p> <p><b>Bearings: NBC/SKF/FAGG</b></p> <p><b>Colors: PU</b></p> <p><b>Nut &amp; Bolts: S.S. (3/8 x 1" LN-2)</b></p> <p><b>Minimum Gross Weight-50 kg</b></p>			
15	<p><b>Air Walker</b>: Made of 100mm round pipe and 40mm round pipe GI jindal brand ball skf branded bearing at movement point, makes it smooth, all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.</p> <p><b>Unit Dimension: 45" (H), 44" (L). 12" (W)</b></p> <p><b>Safe Area: 7' X 7'</b></p> <p><b>Pipe Size 100 mm ID B-class GI pipe (Main).</b></p> <p><b>Leg: 40 mm ID B-class GI pipe (Main)</b></p> <p><b>Handel: 25 mm ID B-class GI pipe (Main)</b></p> <p><b>Seats: Single Step (Plastic)-2 Nos</b></p> <p><b>Bearings: 04 Nos. NBC/SKF/FAG</b></p> <p><b>Colors: PU</b></p> <p><b>Nut &amp; Bolts: S.S. (3/8 x 1" LN-2,5/16 w)</b></p> <p><b>Minimum Gross Weight-52 kg</b></p>			
16	<p><b>Benches</b> : Made of 50mm round pipe and 32mm round pipe GI jindal brand, all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.</p> <p><b>Bench with fixed dumbbell (Unit Dimension: 30"(H), 112" (L), 24" (W)</b></p> <p><b>Safe Area: 14' X4' .</b></p> <p><b>Pipe Size. 50 mm&amp; 32 mm ID B-class GI pipe</b></p> <p><b>Bearings: NBC/SKF/FAG</b></p> <p><b>Colors: PU</b></p> <p><b>Nut &amp; Bolts: S.S</b></p> <p><b>Minimum Gross Weight-92 kg</b></p>			
17	<p><b>Leg Press</b> : Made of 100mm round pipe and 40mm round pipe GI jindal brand ball skf branded bearing at movement point, makes it smooth, all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.</p> <p><b>Unit Dimension: 72" (H), 68" (L). 24" (W)</b></p> <p><b>Safe Area: 12' X 10'</b></p> <p><b>Pipe Size 100 mm ID B-class GI pipe (Main).</b></p> <p><b>Leg: 40 mm ID B-class GI pipe (Main)</b></p> <p><b>Handel: 25 mm ID B-class GI pipe (Main)</b></p> <p><b>Seats: Single Step (Plastic)-2 Nos</b></p> <p><b>Bearings: 04 Nos. NBC/SKF/FAG</b></p> <p><b>Colors: PU</b></p> <p><b>Nut &amp; Bolts: S.S. (3/8 x 1" LN-2,5/16 w)</b></p> <p><b>Minimum Gross Weight-52 kg</b></p>			

18	<p><b>Air Swing</b> : Made of 100mm round pipe and 40mm round pipe GI jindal brand ball skf branded bearing at movement point, makes it smooth, all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.</p> <p><b>Unit Dimension: 60" (H), 36" (L). 36" (W)</b></p> <p><b>Safe Area: 8' X 8'</b></p> <p><b>Pipe Size 100 mm ID B-class GI pipe (Main).</b></p> <p><b>Leg: 40 mm ID B-class GI pipe (Main)</b></p> <p><b>Handel: 25 mm &amp; 20mm ID B-class GI pipe (Main)</b></p> <p><b>Seats: Double Step (Plastic)-2 Nos</b></p> <p><b>Bearings: 04 Nos. NBC/SKF/FAG</b></p> <p><b>Colors: PU</b></p> <p><b>Nut &amp; Bolts: S.S. (3/8 x 1" LN-2,5/16 w)</b></p> <p><b>Minimum Gross Weight-52 kg</b></p>			
19	<p><b>Chest Press</b> : Made of 100mm round pipe and 40mm round pipe GI jindal brand ball skf branded bearing at movement point, makes it smooth, all powder coated stucture rust proof all hardware capped protect from the rust upper and lover capped.</p> <p><b>Safe Area: 8' X 8'</b></p> <p><b>Pipe Size 100 mm ID B-class GI pipe (Main).</b></p> <p><b>Bearings: 04 Nos. NBC/SKF/FAG</b></p> <p><b>Colors: PU</b></p> <p><b>Nut &amp; Bolts: S.S. (3/8 x 1" LN-2,5/16 w)</b></p> <p><b>Minimum Gross Weight- 94 kg</b></p>			

Sd/-

**Executive Officer  
Malkangiri Municipality**