

## TENDER SCHEDULE

Name of the Project :- Construction ACR Building at Arabati PS, Block- Chitrokonda					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 949272.00			At : Chitrokonda		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.24	206.80	7080.83
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.41	578.70	12389.97
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.67	5032.70	134222.11
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.55	4862.10	95054.06
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6971.60	44618.24
b	Column Up to Plinth	Cum	1.71	14715.80	25164.02
c	Grade Beam	Cum	1.95	9185.70	17912.12
d	Lintel Beam	Cum	1.30	14001.80	18202.34
e	Ring Beam	Cum	2.91	14715.80	42822.98
f	Chajja	Cum	0.66	17382.90	11472.71
g	Roof Slab	Cum	8.07	13347.00	107710.29
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.05	9267.50	195045.01
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	63.23	340.20	21510.85
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.40	13663.48
	b) Window	Kg	250.88	78.80	19768.95
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	85.47	161.20	13777.76
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	117.98	228.00	26899.44
12	Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	58.53	1477.40	86472.22
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1208.40	8398.38
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.01	241.10	5306.61
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	122.39	65.90	8065.50
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	122.39	81.30	9950.31
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	172.00	72.50	12470.00
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949271.88</b>
				<b>Or Say</b>	<b>949272.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

(Rupees Nine lakh forty nine thousand two hundred seventy two)only

*Rd 12/06/23*  
 Addl. P.D (Tech.)  
 Executive Engineer  
 Addl. Project Director (Tech.)  
 Zilla Parishad, Malkangiri

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

## TENDER SCHEDULE

Name of the Project :- Construction ACR Building at Badput PS, Block- Chitrokonda					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 949540.00			At : Chitrokonda		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instructicon of Engineer-in- charge.	Cum	26.96	5022.40	135403.90
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4858.10	96044.64
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6592.30	42190.72
b	Column Up to Plinth	Cum	1.71	14336.60	24515.59
c	Grade Beam	Cum	1.97	8804.90	17345.65
d	Lintel Beam	Cum	1.31	13622.60	17845.61
e	Ring Beam	Cum	2.93	14336.60	42006.24
f	Chajja	Cum	0.66	17003.60	11222.38
g	Roof Slab	Cum	8.23	12967.70	106724.17
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.24	9261.20	196740.58
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	332.80	21468.93
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.30	13646.69
	b) Window	Kg	250.88	78.70	19743.86
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	161.00	13924.89
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	227.70	27096.30
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1475.80	88149.53
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1205.10	8375.45
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	240.80	5350.58
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949540.49</b>
				<b>Or Say</b>	<b>949540.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

**(Rupees Nine lakh forty nine thousand five hundred forty)only**

Rel 12/06/22  
 Addt. Engr (Tech)  
 PPA, Malkangiri  
 PPA Parishad, Malkangiri

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less  
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Dabuguda PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 948912.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.24	206.80	7080.83
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.41	578.70	12389.97
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.67	5095.20	135888.98
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.55	4922.40	96232.92
5	i. Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				



14

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Dudhpalli PS of Chitrokonda Block</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 950500.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instruciton of Engineer-in- charge.	Cum	26.96	5068.40	136644.06
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4882.90	96534.93
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6531.60	41802.24
b	Column Up to Plinth	Cum	1.71	14275.90	24411.79
c	Grade Beam	Cum	1.97	8745.80	17229.23
d	Lintel Beam	Cum	1.31	13561.90	17766.09
e	Ring Beam	Cum	2.93	14275.90	41828.39
f	Chajja	Cum	0.66	16942.90	11182.31
g	Roof Slab	Cum	8.23	12907.00	106224.61
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.24	9267.50	196874.41
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	332.50	21449.58
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.40	13663.48
	b) Window	Kg	250.88	78.80	19768.95
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	162.40	14045.98
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	229.30	27286.70
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1477.40	88245.10
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1209.30	8404.64
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	242.70	5392.79
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>950500.07</b>
				<b>Or Say</b>	<b>950500.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

(Rupees Nine lakh fifty thousand five hundred)only

*Raj*  
 Executive Engineer (Tech.)  
 Add: DRDA, Malkangiri  
 Zilla Parishad, Malkangiri  
 12.06.17

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less  
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.



## TENDER SCHEDULE

Name of the Project :- Construction ACR Building at Dulagandhi PS Block-Chitrokonda					
Cost of Tender Paper : Rs.6000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 1899540.00			At : Chitrokonda		
Cost of Tender Paper : Rs.6000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	61.34	206.80	12685.11
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	65.32	710.20	46390.26
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instructicon of Engineer-in- charge.	Cum	50.52	4993.30	252261.52
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	37.56	4874.00	183067.44
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	13.88	7134.10	99021.31
b	Column Up to Plinth	Cum	2.33	14882.90	34677.16
c	Grade Beam	Cum	3.85	9350.40	35999.04
d	Lintel Beam	Cum	2.57	14170.80	36418.96
f	Ring Beam	Cum	5.83	14882.90	86767.31
g	Chajja	Cum	1.26	17556.20	22120.81
h	Roof Slab	Cum	18.38	13516.10	248425.92
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	43.29	9273.80	401462.80
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	147.17	343.70	50582.33
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	335.71	81.40	27326.79
	b) Window	Kg	376.13	78.90	29676.66
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	20.44	67.40	1377.66
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	124.32	161.90	20127.41
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	257.96	228.70	58995.45
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	137.50	1479.10	203376.25
13	Distemper 2 coats to the inner walls & ceiling complete in all respect.	Sqm	396.60	72.50	28753.50
14	Weather coats to the outer walls & ceiling complete in all respect.	Sqm	151.86	81.30	12346.22
15	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	51.00	150.60	7680.60
				<b>TOTAL</b>	<b>1899540.50</b>
				<b>Or Say</b>	<b>1899540.00</b>

**Cost of the Project**

(Rupees Eighteen lakh ninety nine thousand five hundred forty)only

**Total No. of Items -15 Nos**

Rel 10/06/23  
 Executive Engineer (Tech) RWS&S-cum  
 Addl. Dy. Engineer (Tech)  
 DRDA, Malkajgiri  
 Zilla Parishad, Malkajgiri

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

VI

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Gorasetu PS, Block-Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 949838.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.96	5024.30	135455.13
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4886.10	96598.20
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6844.30	43803.52
b	Column Up to Plinth	Cum	1.71	14588.50	24946.34
c	Grade Beam	Cum	1.97	9064.60	17857.26
d	Lintel Beam	Cum	1.31	13874.60	18175.73
e	Ring Beam	Cum	2.93	14588.50	42744.31
f	Chajja	Cum	0.66	17255.60	11388.70
g	Roof Slab	Cum	8.23	13219.70	108798.13
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	20.34	9292.80	189011.37
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	339.10	21875.34
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.60	13697.05
	b) Window	Kg	250.88	79.10	19844.21
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	162.50	14054.63
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	229.50	27310.50
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1484.00	88639.32
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1221.90	8492.21
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	243.10	5401.68
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949838.40</b>
				<b>Or Say</b>	<b>949838.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

(Rupees Nine lakh forty nine thousand eight hundred thirty eight)only

Rel 12/06/23  
 Addl. P.D. (Tech)  
 Executive Engineer, RWS&S cum  
 DRDA, Malkangiri  
 Addl. Project Director (Tech)  
 Zilla Parishad, Malkangiri

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less  
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

VII

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Jalaguda PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 949272.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.24	206.80	7080.83
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.41	578.70	12389.97
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instruciton of Engineer-in- charge.	Cum	26.67	5032.70	134222.11
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.55	4862.10	95054.06
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6971.60	44618.24
b	Column Up to Plinth	Cum	1.71	14715.80	25164.02
c	Grade Beam	Cum	1.95	9185.70	17912.12
d	Lintel Beam	Cum	1.30	14001.80	18202.34
e	Ring Beam	Cum	2.91	14715.80	42822.98
f	Chajja	Cum	0.66	17382.90	11472.71
g	Roof Slab	Cum	8.07	13347.00	107710.29
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.05	9267.50	195045.01
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	63.23	340.20	21510.85
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.40	13663.48
	b) Window	Kg	250.88	78.80	19768.95
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	85.47	161.20	13777.76
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	117.98	228.00	26899.44
12	Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	58.53	1477.40	86472.22
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1208.40	8398.38
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.01	241.10	5306.61
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	122.39	65.90	8065.50
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	122.39	81.30	9950.31
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	172.00	72.50	12470.00
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949271.88</b>
				<b>Or Say</b>	<b>949272.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

(Rupees Nine lakh forty nine thousand two hundred seventy two)only

*Rel 12/06/23*  
**Executve Engineer, RWS&S-cum**  
**DRDA, Malkangiri (Tech)**  
**Zilla Parishad, Malkangiri**

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_

(Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

VII

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Kadagumma PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 944719.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.96	4919.40	132627.02
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4840.80	95702.62
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYS/MS steel and binding wires, and labour charges for straightining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6570.50	42051.20
b	Column Up to Plinth	Cum	1.71	14314.70	24478.14
c	Grade Beam	Cum	1.97	8778.40	17293.45
d	Lintel Beam	Cum	1.31	13600.70	17816.92
e	Ring Beam	Cum	2.93	14314.70	41942.07
f	Chajja	Cum	0.66	16981.80	11207.99
g	Roof Slab	Cum	8.23	12945.90	106544.76
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.24	9242.30	196339.08
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	331.40	21378.61
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.10	13613.12
	b) Window	Kg	250.88	78.50	19693.69
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	160.10	13847.05
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	226.60	26965.40
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1470.80	87850.88
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1194.90	8304.56
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	239.30	5317.25
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>944718.58</b>
				<b>Or Say</b>	<b>944719.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

**(Rupees Nine lakh forty four thousand seven hundred nineteen)only**

*Rel. 2/06/23*  
 Addl. P.D (Tech.)  
 Exec. Eng. RWS&S-cum  
 Addl. Project Director (Tech) - 6.1  
 Zilla Parishad, Malkangiri  
 % less

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_

(Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

IX

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Karlamala PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 949540.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.96	5022.40	135403.90
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4858.10	96044.64
5	i. Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6592.30	42190.72
b	Column Up to Plinth	Cum	1.71	14336.60	24515.59
c	Grade Beam	Cum	1.97	8804.90	17345.65
d	Lintel Beam	Cum	1.31	13622.60	17845.61
e	Ring Beam	Cum	2.93	14336.60	42006.24
f	Chajja	Cum	0.66	17003.60	11222.38
g	Roof Slab	Cum	8.23	12967.70	106724.17
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.24	9261.20	196740.58
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	332.80	21468.93
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.30	13646.69
	b) Window	Kg	250.88	78.70	19743.86
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	161.00	13924.89
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	227.70	27096.30
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1475.80	88149.53
13	Fixing Chequered tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1205.10	8375.45
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc. complete.	Sqm	22.22	240.80	5350.58
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distemping two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949540.49</b>
				<b>Or Say</b>	<b>949540.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

**(Rupees Nine lakh forty nine thousand five hundred forty)only**

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_  
(Both in figures and words) over the amount put to tender

*Rd 12/06/23*  
Addl. P.D (Tech.)  
DRDA, Malkangiri  
*12-6-23*  
**Executive Engineer, RWS&S cum**  
**Addl. Project Director (Tech)**  
**2011a Parishad, Malkangiri**

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Panaspadar PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 949838.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instruciton of Engineer-in- charge.	Cum	26.96	5024.30	135455.13
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4886.10	96598.20
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6844.30	43803.52
b	Column Up to Plinth	Cum	1.71	14588.50	24946.34
c	Grade Beam	Cum	1.97	9064.60	17857.26
d	Lintel Beam	Cum	1.31	13874.60	18175.73
e	Ring Beam	Cum	2.93	14588.50	42744.31
f	Chajja	Cum	0.66	17255.60	11388.70
g	Roof Slab	Cum	8.23	13219.70	108798.13
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	20.34	9292.80	189011.37
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	339.10	21875.34
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.60	13697.05
	b) Window	Kg	250.88	79.10	19844.21
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	162.50	14054.63
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	229.50	27310.50
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1484.00	88639.32
13	Fixing Chequered tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1221.90	8492.21
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	243.10	5401.68
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distemping two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949838.40</b>
				<b>Or Say</b>	<b>949838.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

**(Rupees Nine lakh forty nine thousand eight hundred thirty eight)only**

*Rel 12/06/22*  
**Addl. P.D (Tech.)**  
**Executive Engineer, RWS&S cum**  
**DRDA, Malkangiri**  
**Addl. Project Director (Tech)** 2.6.22  
**Zilla Parishad, Malkangiri**

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less  
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

(XI)

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Mondapalli PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 945633.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.96	4981.30	134295.85
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4865.00	96181.05
5	i. Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSÐ/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6775.00	43360.00
b	Column Up to Plinth	Cum	1.71	14519.20	24827.83
c	Grade Beam	Cum	1.97	8992.20	17714.63
d	Lintel Beam	Cum	1.31	13805.20	18084.81
e	Ring Beam	Cum	2.93	14519.20	42541.26
f	Chajja	Cum	0.66	17186.20	11342.89
g	Roof Slab	Cum	8.23	13150.30	108226.97
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	20.34	9280.10	188753.06
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	336.90	21733.42
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.50	13680.26
	b) Window	Kg	250.88	78.90	19794.04
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	161.40	13959.49
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	228.10	27143.90
12	Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1480.70	88442.21
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1214.70	8442.17
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	241.40	5363.91
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>945632.53</b>
				<b>Or Say</b>	<b>945633.00</b>

### Cost of the Project

Total No. of Items -18 Nos

(Rupees Nine lakh forty five thousand six hundred thirty three)only

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_  
(Both in figures and words) over the amount put to tender

*Rel 10/06/23*  
Addl. P.D (Tech.)  
DRDA, Malkangiri  
Executive Engineer, PWS&S-cum  
Addl. Project Director (Tech)  
Zilla Parishad, Malkangiri

Signature of the Contractor

### Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any descripancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

XII

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Naglur PUPS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 949272.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.24	206.80	7080.83
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.41	578.70	12389.97
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instructicon of Engineer-in- charge.	Cum	26.67	5032.70	134222.11
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.55	4862.10	95054.06
5	i. Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYS/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6971.60	44618.24
b	Column Up to Plinth	Cum	1.71	14715.80	25164.02
c	Grade Beam	Cum	1.95	9185.70	17912.12
d	Lintel Beam	Cum	1.30	14001.80	18202.34
e	Ring Beam	Cum	2.91	14715.80	42822.98
f	Chajja	Cum	0.66	17382.90	11472.71
g	Roof Slab	Cum	8.07	13347.00	107710.29
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.05	9267.50	195045.01
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	63.23	340.20	21510.85
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.40	13663.48
	b) Window	Kg	250.88	78.80	19768.95
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	85.47	161.20	13777.76
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	117.98	228.00	26899.44
12	Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	58.53	1477.40	86472.22
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1208.40	8398.38
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.01	241.10	5306.61
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	122.39	65.90	8065.50
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	122.39	81.30	9950.31
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	172.00	72.50	12470.00
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949271.88</b>
				<b>Or Say</b>	<b>949272.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

**(Rupees Nine lakh forty nine thousand two hundred seventy two)only**

*Rd 12/02/23*

**Addl. P.D (Tech.)**

**Executive Engineer, PWS& cum**

**DRDA, Malkangiri**

**Addl. Project Director (Tech)**

**Zilla Parishad, Malkangiri**

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

XIII

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Sialkanmamudi PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 949272.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.24	206.80	7080.83
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.41	578.70	12389.97
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.67	5032.70	134222.11
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.55	4862.10	95054.06
5	i. Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6971.60	44618.24
b	Column Up to Plinth	Cum	1.71	14715.80	25164.02
c	Grade Beam	Cum	1.95	9185.70	17912.12
d	Lintel Beam	Cum	1.30	14001.80	18202.34
e	Ring Beam	Cum	2.91	14715.80	42822.98
f	Chajja	Cum	0.66	17382.90	11472.71
g	Roof Slab	Cum	8.07	13347.00	107710.29
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.05	9267.50	195045.01
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	63.23	340.20	21510.85
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.40	13663.48
	b) Window	Kg	250.88	78.80	19768.95
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	85.47	161.20	13777.76
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	117.98	228.00	26899.44
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	58.53	1477.40	86472.22
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1208.40	8398.38
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.01	241.10	5306.61
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	122.39	65.90	8065.50
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	122.39	81.30	9950.31
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	172.00	72.50	12470.00
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949271.88</b>
				<b>Or Say</b>	<b>949272.00</b>

**Cost of the Project**

(Rupees Nine lakh forty nine thousand two hundred seventy two)only

**Total No. of Items -18 Nos**

Rel. 12/06/23  
Addl. P.D (Tech.)

Executive Engineer, Malkangiri  
DRDA, Malkangiri  
Addl. Project Director (Tech.)  
Zilla Parishad, Malkangiri

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less  
(Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any descricpacy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

XIV

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Sindhiput PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 9949838.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.96	5024.30	135455.13
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4886.10	96598.20
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSB/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6844.30	43803.52
b	Column Up to Plinth	Cum	1.71	14588.50	24946.34
c	Grade Beam	Cum	1.97	9064.60	17857.26
d	Lintel Beam	Cum	1.31	13874.60	18175.73
e	Ring Beam	Cum	2.93	14588.50	42744.31
f	Chajja	Cum	0.66	17255.60	11388.70
g	Roof Slab	Cum	8.23	13219.70	108798.13
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	20.34	9292.80	189011.37
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	339.10	21875.34
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.60	13697.05
	b) Window	Kg	250.88	79.10	19844.21
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	162.50	14054.63
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	229.50	27310.50
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1484.00	88639.32
13	Fixing Chequered tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1221.90	8492.21
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc. complete.	Sqm	22.22	243.10	5401.68
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949838.40</b>
				<b>Or Say</b>	<b>949838.00</b>

Cost of the Project

Total No. of Items -18 Nos

(Rupees Nine lakh forty nine thousand eight hundred thirty eight)only

*Rd/12/06/13*  
 Addl. P.D (Tech.)  
 Executive Engineer, RWS & SWS  
 BRDA, Malkangiri  
 Addl. Project Director (Tech)  
 Zilla Parishad, Malkangiri  
 12.6.23

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less  
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

XV

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Singavaram, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 949633.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.96	4981.30	134295.85
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4865.00	96181.05
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6775.00	43360.00
b	Column Up to Plinth	Cum	1.71	14519.20	24827.83
c	Grade Beam	Cum	1.97	8992.20	17714.63
d	Lintel Beam	Cum	1.31	13805.20	18084.81
e	Ring Beam	Cum	2.93	14519.20	42541.26
f	Chajja	Cum	0.66	17186.20	11342.89
g	Roof Slab	Cum	8.23	13150.30	108226.97
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	20.34	9280.10	188753.06
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	336.90	21733.42
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.50	13680.26
	b) Window	Kg	250.88	78.90	19794.04
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	161.40	13959.49
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	228.10	27143.90
12	Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1480.70	88442.21
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1214.70	8442.17
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	241.40	5363.91
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distemping two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>945632.53</b>
				<b>Or Say</b>	<b>945633.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

**(Rupees Nine lakh forty five thousand six hundred thirty three)only**

  
 Addl. P.D. (Tech)  
 Executive Engineer, RWS&S cum  
 DRDA, Malkangiri  
 Addl. Project Director (Tech)  
 Zilla Parishad, Malkangiri

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less  
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any descricpency is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

XVI

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Taberu PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 948912.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.24	206.80	7080.83
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.41	578.70	12389.97
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.67	5095.20	135888.98
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.55	4922.40	96232.92
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	7066.20	45223.68
b	Column Up to Plinth	Cum	1.71	14810.40	25325.78
c	Grade Beam	Cum	1.95	9290.40	18116.28
d	Lintel Beam	Cum	1.30	14096.50	18325.45
e	Ring Beam	Cum	2.91	14810.40	43098.26
f	Chajja	Cum	0.66	17477.50	11535.15
g	Roof Slab	Cum	8.07	13441.60	108473.71
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	20.15	9308.80	187577.44
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	63.23	344.70	21795.38
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.80	13730.62
	b) Window	Kg	250.88	79.30	19894.39
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	85.47	164.50	14059.82
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	117.98	231.80	27347.76
12	Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	58.53	1487.60	87069.23
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1230.90	8554.76
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc. complete.	Sqm	22.01	245.90	5412.26
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	122.39	65.90	8065.50
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	122.39	81.30	9950.31
17	Distemping two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	172.00	72.50	12470.00
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>948912.20</b>
				<b>Or Say</b>	<b>948912.00</b>

Cost of the Project

Total No. of Items -18 Nos

(Rupees Nine lakh forty eitht thousand nine hundred twelve)only

12/01/23  
Addl. P.O. (Tech), MYS&S-cum  
Executive Engineer (JECD)  
DRDA, Malkangiri  
Zilla Parishad, Malkangiri

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any descipancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

## TENDER SCHEDULE

<b>Name of the Project :- Construction ACR Building at Tontapalli PS, Block- Chitrokonda</b>					
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Class of Contractor D / C</b>		
<b>Amount put to Tender (Approx.) : 949838.00</b>			<b>At : Chitrokonda</b>		
<b>Cost of Tender Paper : Rs.4000/-</b>			<b>Dist. : Malkangiri</b>		
<b>Earnest Money : 1% of the Estimate Cost</b>			<b>Time for completion of the work : 4 (Four) Months</b>		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 ( 1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instructicon of Engineer-in- charge.	Cum	26.96	5024.30	135455.13
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4886.10	96598.20
5	i. Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a munimum compressive strength ( in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYS/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6844.30	43803.52
b	Column Up to Plinth	Cum	1.71	14588.50	24946.34
c	Grade Beam	Cum	1.97	9064.60	17857.26
d	Lintel Beam	Cum	1.31	13874.60	18175.73
e	Ring Beam	Cum	2.93	14588.50	42744.31
f	Chajja	Cum	0.66	17255.60	11388.70
g	Roof Slab	Cum	8.23	13219.70	108798.13
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	20.34	9292.80	189011.37
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	339.10	21875.34
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.60	13697.05
	b) Window	Kg	250.88	79.10	19844.21
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	162.50	14054.63
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	229.50	27310.50
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1484.00	88639.32
13	Fixing Chequered tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1221.90	8492.21
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	243.10	5401.68
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distemping two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				<b>TOTAL</b>	<b>949838.40</b>
				<b>Or Say</b>	<b>949838.00</b>

**Cost of the Project**

**Total No. of Items -18 Nos**

**(Rupees Nine lakh forty nine thousand eight hundred thirty eight)only**

*Rel 12/06/23*  
**Addl. P.D. (Tech.)**  
**Executive Engineer, RWS&S-cum**  
**DRDA, Malkangiri**  
**Addl. Project Director (Tech)**  
**Zilla Parishad, Malkangiri**

My Quoted rate is \_\_\_\_\_ % excess \_\_\_\_\_ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

**Note :**

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.