



ପଞ୍ଚାୟତ ସମିତି କାର୍ଯ୍ୟାଳୟ, ଚିତ୍ରକୋଣ୍ଡା, ଜିଲ୍ଲା-ମାଲକାଙ୍ଗିରି

OFFICE OF THE PANCHAYAT SAMITI, CHITRAKONDA, DIST-MALKANGIRI

e-mail :ori-kudumuluguma@nic.in Mob No-8658570050.

Advt. No.01 /2024,

Date. 10.07.2024

Sealed tenders are invited from the registered "D & C" and C & B Class Contractors of the state PWD (R&B) /Water Resources /Rural works /M.I/CPWD in prescribed form to be eventually drawn in P.W.D. form No.P1.The filled in tender form shall be received through registered/speed post only at Office of the Block Development Officer, Chittrakonda, Dist.Malkangiri by 5.00 PM of 26th July, 2024 for the work "AS PER THE FOLLOWING TABLE " for the year 2024-25 on Samagra Sikshya(PAB & SS),SETU(Livelihood), All the tender forms received shall be opened before the tender committee in the presence of the tenderers or their authorized representatives at 12.00 Noon on 30th July, 2024 at the Block Conference Hall of Chittrakonda.The details of the Tender Schedule of the said projects is appended with this as **Annexure-I**.

The Tender papers will be sold on payment of cost(Non-refundable) in shape of Bank draft drawn at Nationalised Bank in favour of Block Development Officer,Chittrakonda from 11.07.2024 to 26.07.2024(excluding holidays) during office hour from (10 AM to 5 PM) only in the office of BDO, Chittrakonda. Sealed Tender paper will be received from dt.11.07.2024 to 26.07.2024 up to 5 PM on the working day only in the office of the BDO,Chittrakonda through registered post/Speed post only .The tender paper received after the stipulated time will not be considered. No tender paper will be received by hand or by courier service. The tender papers shall be opened on 30.07.2024 at 12 PM on wards in the office chamber of BDO,Chittrakonda in the presence of the bidders or their authorized representatives having written authorization for the purpose.

TABLE - A

Ann exur e.	Name of Works/projects	Approx. cost of project in Rs.	Cost of tender paper	EMD 1% (in Rs.)	Completi n period
1	2	3	4	5	6
I	Const. of Addl. Classroom at Bihangudi PS of Jodambo GP	949272/-	4000/-	9493/-	4 months
II	Const. of Addl. Classroom at Badaput PS of Badapada GP	949540/-	4000/-	9495/-	4 months
III	Const. of Addl. Classroom at Gajalmamudi PS of Gajalmamudi GP	949838/-	4000/-	9498/-	4 months
IV	Const. of Addl. Classroom at Sindhiput PS of Panasput GP.	949633/-	4000/-	9496/-	4 months
V	Const. of Addl. Classroom at Taberu PS of Jantri .	948912/-	4000/-	9489/-	4 months
VI	Const. of Addl. Classroom at Sunamgoi of Dhuliput GP	1268810/-	6000/-	12688/-	6 months
VII	Const. of Addl. Classroom at Chintandoli of Rallegada GP	1135339/-	6000/-	11353/-	4 months
VIII	Const. of 4 nos. of Addl.Class Room building at Jantapai of Papermetla GP	2668936/-	6000/-	26689/-	6 months
IX	Const. of 4 nos. of Addl.Class Room building at Darlabeda UGHS of Jodambo GP	2672216/-	6000/-	26722/-	6 months
X	Const. of 4 nos. of Addl.Class Room building at Jantri UGHS of Jantri GP	2674471/-	6000/-	26745/-	6 months
XI	Const. of 4 nos. of Addl.Class Room building at Andrapalli UGHS of Andrapali GP	2672216/-	6000/-	26722/-	6 months
XII	Const. of 4 nos. of Addl.Class Room building at Sarkubandha UGHS of Ralegada GP	2668936/-	6000/-	26689/-	6 months
XIII	Const. of Addl. Classroom at Dangarpadar PS of Panasput GP	1146767/-	6000/-	11468/-	4 months
XIV	Const. of Addl. Classroom at Sanyasiguda PS of Jantri GP	1136401/-	6000/-	11364/-	4 months
XV	Const. of Addl. Classroom at Naridipali PUPS of Ralegada GP	1135697/-	6000/-	11357/-	4 months
XVI	Const. of Addl. Classroom at Dhakadapadar PS of Jantri GP	1135952/-	6000/-	11360/-	4 months
XVII	Const. of Addl. Classroom at Ghusumpadar PS of Andrapalli GP	1155571/-	6000/-	11556/-	4 months
XVIII	Const. of Boundary wall at Andrapalli UGHS of Andrapalli GP	1071002/-	6000/-	10710/-	4 months

TERMS AND CONDITIONS:

1. The tenderers should note that the work must be started with in 07 (seven) days on receipts of the work order and shall be completed within 04 (four) & 6 (six) Months respectively commencing from the date of issue of work order. Tenderers are required to submit detail programme of works along with the tender which they consider necessary keeping in view of the clause 2 of the P.W.D. Form No.P1. without these programmes of works, the tender will be considered defective. Authority for acceptance of tenders would rest with Block Development Officer, Chittrakonda ,Dist- Malkangiri

2. Tenderers are required to pay earnest money at 1% of the estimated amount i.e. as per Column No-05 to Table-A mentioned at above, either in shape of Bank Draft/N.S.C./ Postal Time Deposit Pass Book/ Deposit Receipt of Nationalized Bank duly pledged to the Block Development Officer Chittrakonda, otherwise their tender will not be considered. The earnest money will be refunded to the unsuccessful tenderers on application as per the terms and conditions laid down in O.P.W.D. Code and the same will be retained in case of the successful tenderers and will not carry any interest at the time of refund after successful completion of the work.

CONTRACTOR

BLOCK DEVELOPMENT OFFICER

3. (a) The plan & specification for the work can be seen at the office of the Block Development Officer, Chittrakonda during any working hours days up to 05.04.2024.. Complaints at a future date that the plan and specifications have not been seen cannot be entertained. The contractor may obtain a set of tender documents for the work from the official website (<http://www.malkangiri.nic.in>) on payment of Non-refundable fund as per Column No-04 of Table-A above in shape of Demand Draft issued from any Nationalized Bank in favour of Block Development officer, Chittrakonda Payable at Chittrakonda. The tender must be submitted in a sealed cover through registered/ speed post only i.e. separate tender forms should be used for each project and must be packed only one tender form in a single envelope. The name of the tenderer and the name of the work are to be superscribed on the cover.

(b) All other information can be obtained on application to the Block Development Officer, Chittrakonda Dist-, Malkangiri. The authority will not be responsible if any portion of the tender document is modified and in all cases this conditions stipulated in the original document kept in the office of the undersigned shall prevail.

(c) The organization will not be held responsible, if there is any delay in receipt of tender documents by the intending contractors sent by department through registered or speed post and similarly the tender documents sent through Registered / Speed post do not reach in the Block Development Officer, Chittrakonda Dist-, Malkangiri by the scheduled date and time. Their offers will not be considered on any account even if the tender documents were dispatched by the tenderers before the due date. The cost of registration fees will be borne by the intending tenderers.

(d) **As envisaged in Works Department OM No-16 dated.01.01.2015 any single tender received in 1st Call shall be cancelled without opening of the bid and in case when more than one tender have been received in the 1st call and only a single tender is found to be responsive, the same is also liable to be cancelled due to lack of competitive price bidding.**

4. Block Development Officer, Chittrakonda, Dist- Malkangiri reserves the right to reject any or all the tenders received without assigning any reasons thereof.

5. The tenderer whose tender is selected for acceptance shall within a period of seven days upon written information being given to him of acceptance of his tender make an initial security deposit @ 1% (One percent) of the tendered amount. So that the earnest money and initial security deposit will be 2% of the tendered amount as shown in clause-2 above and sign the agreement in the P.W.D. Form No.-P1 for due fulfillment of contract in the office of the Block Development Officer, Chittrakonda, Dist- Malkangiri. The security deposit, together with the earnest money and the amount withheld according to the provision of P1 agreement shall be retained as security deposit for the fulfillment of this contract. Failure to enter into the required agreement and to make the security deposit as above shall entail forfeiture of the earnest money. No tender shall be finally accepted until the required amount of security money is deposited. The written agreement to be entered into between the contractor and the Block Development Officer, Chittrakonda shall be foundation of rights of the parties and the contract shall be deemed to be incomplete until the agreement has first been signed by the contractor and then by the proper officer authorized to enter into the contract on behalf of the Government. The department will accept the security deposit in the form of N.S.C., N.D.C., Postal Time Deposit Pass Book duly pledged to Block Development Officer, Chittrakonda and in no other form. In case of tenderers who have made fixed deposits, action will be taken to degrade them if they decline to sign the agreement within the period as in above case.

6. (a) The rates should be quoted in words and figures and the units in words otherwise the tender will be liable for rejection. In case of discrepancy between words and figures, the words shall prevail and in case of discrepancy between unit rate and total, the unit rate shall prevail. The rates should be quoted in Rupees and Paisa, but not in Rupees and annas. The tender shall be written legibly and free from erasures, over writings or conversion of figures. Corrections where unavoidable should be made by scoring out initiating dating and rewriting. The tender should also show total of each page and grand total of whole tender.

(b) The amount equivalent to less percentage as quoted by the bidder must be deposited in advance before execution of the agreement.



CONTRACTOR

BLOCK DEVELOPMENT OFFICER

7. The contractors shall be responsible for payment of all royalties or other charges for quarrying materials. All local taxes inclusive of GST & Income Tax, Ferry & Tollage charges and Octroi Taxes are to be paid by Contractor.
8. The tender may not, at the discretion of the competent authority, be considered unless accompanied by attested copies of GST certificate, non assessment certificate as the case may be and the original certificate produced before the Block Development Officer, Chitrakonda Dist-, Malkangiri at the time of opening of the tender.
9. If the contractor removes any materials or stock so supplied to him from the site of work with a view of disposing of the same dishonestly, he should in addition to any other liabilities Civil or Criminal cases arising out of the contract be liable to pay a penalty equivalent to five times the price of the materials or stock according to the stipulated rates and the penalty to impose shall be recovered from any sum that may then or at any time there after become due to the contractor or from his security or from the proceeds of sales thereof.
10. The contractor should be fully liable to indemnify the department for payment of any compensation under "Workman" Compensation Act. VII of 1923 on account of the workmen being employed by him and the full amount of compensation paid will be recovered from the contractor.
11. Every tenderer must examine the detailed specification of Project before submitting his tender. The rights is reserved without impairing the contract to make such increase in the quantities or items of work mentioned in the schedule attached to the tender notice as may be considered necessary to complete the work fully and satisfactorily. Such increase or decrease shall in no case invalidate the contract or rates. It shall be definitely understood that the Govt. do not accept any responsibility for the correctness or completeness of the quantities shown in the schedule. The schedule is liable to alteration by omission or additions or deduction and such omission deduction shall in no case invalidate the contract and no extra monetary compensation will be entertained. Department will not supply any materials what so ever for the work. The tenderer shall be financially solvent and stable for advance procurement of all materials required for the work vide Government of Odisha Finance Department Memo No.-48443/ F Code-46 / 95 dated 11.12.1995.
12. All reinforced cement concrete work should confirm to Orissa Detail standard specification & should be of grade M 150 and M 200 equivalent to nominal proportion 1:2:4 / 1:1.5:3 having minimum compressive strength in work test of 150 Kg/ Cm² / 200 Kg / Cm² in 15 Cm. cubes at 28 days after mixing and test conducted in accordance with 1: S-456 & 516 using 12mm to 20mm size hard black crusher broken granite chips.(20mm size not to exceed 25%).
13. Shuttering and centering shall be with seasoned non-sal wood planks and the inside of which shall be lined suitable sheeting and made leak proof and water tight or alternatively steel shuttering and centering may be used.
14. For the purpose of jurisdiction in the event of dispute if any the contract should be deemed to have been entered into within the State of Odisha and it is agreed that neither party of the contract at any place outside the State of Odisha.
15. Percentage rate contract (vide Works Department letter no.8310 dt.17.05.2006) In case of Percentage Rate tender, :-
- The contractor has to quote percentage excess or less over the estimated cost in the Price Bid appended to the tender document.
 - The Contractors participated in the tender for more than one work may offer conditional rebate. Rebate offer submitted in a separate letter duly scanned shall be opened, declared and recorded first. The rebate so offered shall be considered after opening of all packages called in the same Tender Notice. The Contractors who wish to tender for two or more works shall submit separate tender for each. Each tender shall have the Bid Identification No., Name & Sl. No. of the work (as per IFB) to which they refer.
 - The Contractor will quote percentage excess/less up to one decimal point only. If he writes the percentage excess/less up to two or more decimal points, the first decimal point shall only be considered without rounding off.



CONTRACTOR

BLOCK DEVELOPMENT OFFICER

- iv. In the contract P-1 time is the essence. The contractor is required to maintain a certain rate of progress specified in the contract. The quantity mentioned can be increased or reduced to the extent of 10% for individual items subject to a maximum of 5% over the estimated cost. If it exceeds the limit stated above prior approval of competent authority is mandatory before making any payment.
- v. The period of completion is fixed and can not be altered except in case of exceptional circumstances with due approval of next higher authority.
- vi. Bills for percentage rate tenders shall be prepared at the estimated rates for individual items only and the percentage excess or less shall be added or subtracted from the gross amount of the bill.
16. After the work is finished all surplus materials and debris are to be removed by the contractor and preliminary work such as vats, mixing platform etc. are to be dismantled and all the materials are to be removed from the site. The ground up to 15m wide from the building should be cleared and rough dressed. No extra payment will be made to the contractor on this account. The rate quoted should be inclusive of all these items.
17. The contractor shall not interface with the execution of water supply or electrical fittings arrangement and any other works entrusted to any other agency by the department at any time during the progress of the work.
18. The department will have the right to inspect the scaffolding and centering made for the work and can reject partly or fully such structures if found defective in their opinion.
19. The contractor will have to arrange for water supply for all works and make sanitary arrangements at his own cost for his labour camps. Contractor has to arrange adequate lighting arrangements for night work whenever necessary at his own cost.
20. Baling out water from the foundation either rain water or sub-soil water if necessary should be borne by the contractor. No payment will be made for bench marks, level pillars profiles and enching and leveling ground where required. The rates quoted should be for finished items of work inclusive of these incidental items of work.
21. All the quantities mentioned in the schedule are combined for ground floor and multistories in case of multistoried building the rates should be through for the same unless otherwise mentioned in the schedule of quantities for individual items.
22. Cement concrete in roof slab beams etc. wherever prescribed by the Engineer in charge shall be machine mixed and vibrated and the contractor should arrange his own concrete mixers, vibrators and pumps etc. for the purpose.
23. It should be understood clearly that no claim whatsoever will be entertained.
24. The tenderer shall have to abide by the CPWD safety code rule introduced by the Government of India Ministry of Works, housing and supply in their standing orders No.44 to 50 dated 25.11.1957 which can be seen in the office of the Block Development Officer, Chittrakonda Dist-, Malkangiri during working hours & days.
25. Tenders are required to abide by the fair wage clauses as introduced by the Government.
26. The contractor will be responsible for the loss or damage of any departmental materials equipments supplied to him under clauses 13, 30 and 32 during execution of the work due to reason whatsoever and cost of such materials will be recovered from him at prevailing stock issue rates plus storage charges or market rates whichever is higher.
27. The contractor should arrange at his own cost necessary tools and plants machines concrete mixer & vibrators and other machineries such as pumps etc. required for the efficient execution of the work and rates quoted should be inclusive of the running charges of such plant and cost of consumable.
28. The contractor will have to submit to the Block Development Officer, Chittrakonda Dist-, Malkangiri, monthly return of labour both skilled and unskilled employed by him on the work.
29. The tenderers are required to go through each clause of P.W.D. Form No.-P1 carefully in addition to clauses mentioned herewith before tendering.

CONTRACTOR


BLOCK DEVELOPMENT OFFICER

30. No part of the contract shall be sublet without written permission of Block Development Officer, Chittrakonda Dist-, Malkangiri or transfer is made by power of attorney authorizing others to receive payment on the contractor's behalf.
31. If further necessary information is required AEE/AE, Chittrakonda Block, Malkangiri will furnish such, but it must be clearly understood that the tenders must be received in order and according to the institutions.
32. Cement shall be used by bags and weight of cubic meter of cement being taken as 14.42 qtl.
33. No contractors will be permitted to furnish their tenders in their own manuscript papers.
34. The following clauses have been revised / substituted as per Works Department Office memorandum No.12366 dtd. 08.11.2013. Details can be seen in the website:<http://tendersodisha.gov.in>
- (i) Every bidder is expected before quoting his rate to inspect the site of the proposed work. The bidder should also inspect the quarries and approach roads to quarries and satisfy himself/themselves about the quality and availability of materials. In every case the materials must comply with the relevant specifications. Complaints at future date that the availability of materials at quarries has been misjudged cannot be entertained.
Amendment to Para.3.4.16(a)(vii) of OPWD Code Vol.I by substitution.
- (ii) For the purpose of estimate, the approved quarry lead is to be provided judiciously. Engineers in charge would be responsible for ensuring the quality of the materials supplied. The contractors would, however, be responsible for procurement of materials from authorized sources and voluntarily disclose the source of procurement for the purpose of billing. Besides, the bidder would be required to submit the details of quarry for procurement while submitting the bids.
35. Government will not however after acceptance of contract rate pay any extra charges for lead or any other reason in case the contractor is found later on to have misjudged the materials available.
36. All fittings for doors and windows if supplied by the contractor should be of best quality and should be got approved by AEE/AE, Chittrakonda Block, Malkangiri, before they are used on the work.
37. The tender containing extraneous conditions not covered by the tender call notice are liable for rejection.
38. (a) The contractor shall have to furnish a certificate in the prescribed proforma enclosed herewith along the tender to effort that he is not related to any officers of Block Development Officer, Chittrakonda Dis- Malkangiri.
- (b) CERTIFICATE OF NO RELATIONSHIP**
I / We hereby certify that I / We are / are not related to any officers of Block Development Officer, Chittrakonda Dis- Malkangiri. I / We am / are also aware that if the facts subsequently proved to be false my / our contract will be rescinded with the forfeiture of E.M.D. and total security deposit and I / We shall be liable to make good of the loss or damage resulting from such cancellation.
I / We also note that in case of non-submission of this certificate with tender my /our tender is liable for rejection.
Date..... Signature of Tenderer
39. All the tenders received will remain valid for a period Sixty days from the date of receipt tenders. The period of validity can also be extended if agreed to by the Department and the contractor.
40. After completion of the work, the contractor shall arrange at his own cost all requisite equipments for testing building if found necessary and bear the entire cost of such test.
41. Tenderers required to submit a list of works in their hand in the prescribed proforma herewith, (b) list T&P
- (c) List of works executed in their prescribed proforma enclosed herewith along with the tender.

CONTRACTOR


BLOCK DEVELOPMENT OFFICER

42. GOVERNMENT OF ORISSA FINANCE DEPARTMENT

1. (Memo No.-48443 / F-Code-46 / 95 dated 11.12.1995 regarding "Discontinuance of the system of procurement of stock by Engineering Department").

X X X

2. With a view to avoiding these situations Govt. have been pleased to decide that with effect from 01.04.96 there will neither purchase of department store materials nor booking of materials to show utilization of budget provision. It will be the responsibility of the contractor to purchase stores and utilize them in the work since materials like cement, steel etc. are easily and abundantly available at places, there will be no difficulty for contractors to procure the same. Therefore the future agreement with the contractors shall be executed accordingly and necessary modification to the agreement from may be made. In case where agreement have already been executed for department supply of materials, efforts should be made to fulfill the same by utilization to the existing stores and also through inter divisional and even inter department transfer of stores. For utilization of the surplus materials, agreements may however be made for supplying of materials to the extent available. In this way the existing materials should be exhausted.

3. Maintenance work should be undertaken by purchasing materials in case of departmental execution of work by directly charging to site account or through contractors. There should not be advance purchase of materials for the sake of storing and utilizing the same in future works.

4. Consequent upon introduction of the new system the Engineer-in-Charge of the work will have to exercise strict quality control and ensure that materials used by the contractors conform to the standard specifications

X

X

X



CONTRACTOR

BLOCK DEVELOPMENT OFFICER

5. (a) **Certificate of list of works in hand.**

I / We do hereby certify that at present the following works are in my / our hand.

Sl.No	Particulars of works now in hand	Amount of each work	Period in which the work is stipulated to be completed(In months)	Approximate value of work done against each work on the date of submission of tender	Department under which the work is being taken up
1	2	3	4	5	6

I / We also note that, non submission of this certificate will render my / our tender liable for rejection.



CONTRACTOR

BLOCK DEVELOPMENT OFFICER

(b) **CERTIFICATE OF THE LIST OF T & P**

I / We do hereby certify that the following tools and plants, machineries and vehicles are in my / our possession in working orders.

- (i)
- (ii)
- (iii)
- (iv)
- (v)
- (vi)
- (vii)

I / We also note that, non submission of this certificate will render my / our tender liable for rejection.

Date.....

Signature of Tenderer

(c) **CERTIFICATE OF THE LIST OF WORK EXECUTED**

I / We do hereby certify that the following works have been executed by me / us in the past.

I / We also note that, non submission of this certificate will render my / our tender liable for rejection.

Sl.No	Particulars of works already executed.	Approximate amount of each work	Name of Department under which the works executed.	Period of commencement and period of completion.	Whether the works were completed in stipulated period
1	2	3	4	5	6

I / We also note that, non submission of this certificate will render my / our tender liable for rejection.



CONTRACTOR

BLOCK DEVELOPMENT OFFICER

43. All reinforced cement concrete works like lintels, column, beam, chajja, roof slab and other such works should be finished smooth and no extra charges for plastering if required shall be paid by the department.
44. At their opinions quote reasonable rates for each item of the work carefully so that the rate for one item should not be unworkably low and others too high.
45. The tenderer shall bear cost of various incidental sundries and contingencies necessitated by the work falling within following or similar category.

- (a) Rent, royalties and other charges of materials octroi duties all other taxes including GST, ferry/tolls conveyance charges and other cost on account of land and building including temporary building required by the tenderer for collection of materials storage housing of staff or other by the tenderer for purpose of work. No rent will however be payable to Government for temporary occupation of land or owned by Government at the site of the work.
- (b) Labour camps and huts necessary to suitable scale including conservancy and sanitary arrangements there on to the satisfaction of the local health authorities.
- (c) Suitable water supply including pipe water supply wherever available for the staff And labour as well as for works.
- (d) Fees and dues hired by Municipal. Canal and water supply authorities.
- (e) Suitable equipments and wearing apparatus for the labourers engaged in risky operation.
- (f) Suitable fencing barriers signals including paraffin and electrical signal where necessary at works and approaches in order to protect the public and employees from accidents.
- (g) Compensation including cost of any suit for injury to persons or property due to neglect of any major precautions also sums which may become payable due to operation or Workmen's compensation Act.
- (h) The contractor has to arrange adequate lighting arrangements for night works wherever necessary at his own cost.
- (i) The contractor has to arrange all the building materials including the equipments required for under reamed pile foundation for starting the work.
46. The prevailing percentage of I.T. Department of the gross amount of the bill and surcharge as applicable will be deducted from the contractor's bill towards Income tax.
47. The prevailing of GST on the gross amount of the bill will be deducted from the contractor's bill.
48. Under section 12 of the Contract labour regulation & abolition Act 1970, the contractor who undertakes execution of work through labour should produce valid license from licensing authority of labour department.
49. The KB brick should be well burnt and of good qualities. The brick should be approved by the Engineer-in-Charge before use in the work and should confirm the minimum strengthen as per national building code.

CONTRACTOR


BLOCK DEVELOPMENT OFFICER

50. When department machinery will be utilized in the work by the contractors necessary and prevailing hire charges as fixed by the departments will be recovered from the contractor who may see the hire charges of the machinery in the office of the Block Development Officer, Chitrakonda Block, Malkangiri.

51. Under no circumstances interest in chargeable for the dues or additional dues, if any payable for the work.

52. If the contractor quotes abnormally low rates for some items and the department decides to accept the tenders then the department would have the discretion of withholding the differential cost between the amount of low rated items and corresponding estimated amount from their payment due against other item till such low rated items are completed in full as approved specification.

53. The following clauses have been revised / substituted as per Works Department Office memorandum No.12366 dtd. 08.11.2013. Details can be seen in the website:<http://tendersodisha.gov.in>.

(i) Amendment to Appendix-IX, Clause-36 of OPWD Code Vol.-II by inclusion. If the rate quoted by the bidder is less than 15% of the tendered amount, then such bid shall be rejected and the tender shall be finalized basing on merits of rest bids. But if more than one bid is quoted at 14.99% (Decimals up to two numbers will be taken for all practical purposes) less than the estimated cost, the tender accepting authority will finalise the tender through a transparent lottery system, where all bidders / their authorized representatives, of the BDO & DRDA will remain present.

(ii) Additional Performance security

As per Works Department Office Memorandum No. 14459 dtd. 20.09.2018 Additional Performance Security shall be obtained from the bidder when the bid amount is less than the estimated cost put to tender. In such an event only the successful bidder who has quoted less bid price / rates than the estimated cost put to tender shall have to furnish as per the letter No.4559 dtd.05.04.2021 of (Dr.Krishna Kumar), Commissioner –cum-Secretary to Government, Works Department, Govt. of Odisha i.e time to time fix/change the rate of additional Performance Security (APS) as exact amount of differential cost i.e. estimated cost put to tender minus the quoted amount as Additional Performance Security (APS) in shape of Term Deposit Receipt/ National Savings Certificates/ KisanVikashPatra /Post Office Time Deposit Account/ Post Office Savings Bank Accounts / Deposit Receipt /Bank Guarantee from any Nationalized Schedule Bank duly pledged in favour of the Block Development Officer within seven days of issue of LoA (Letter of Acceptance) Otherwise the bid shall be cancelled and the security deposit shall be forfeited. Further proceeding for black listing shall be initiated against bidder.If the Contractor fails to complete the work, the amount so furnished as additional performance security will be forfeited in addition to the other penal clauses, if any, to be imposed.

54. Affidavit to be furnished by the contractor at the time of submitting of Tender about the authentication of Tender documents including Bank Guarantee.

An affidavit shall be furnished by the contractor at the time of submission of Tender papers about the authentication of tender documents including Bank Guarantee(Vide Govt. of Orissa, Works Department Code-14/2004-9414, dt-08.06.04, concurred by Law Department Finance, vide their U.O.R. No.-1242, dt-05.08.03 and No.-193/WF-I,dt-04.03.04 respectively).

CONTRACTOR


BLOCK DEVELOPMENT OFFICER

55. Clauses for site engineer and road furniture etc. in DTCN / Agreement.
In Works department Letter No.-10407, dt.-25.06.2004, the agencies executing major works should possess full-fledged field laboratory for testing of the quality of the work. Under the same clause, the following provision is to be made as per Works Department No.-12351/W, dated 23.07.2004.

1) An Engineering personnel of the executing agency should be present at work site at the time of visit of Inspecting Officers in the rank of APD(Tech)/Addl.P.D.(Tech), DRDA & per Senior officials 2) Brick Masonry Display Board should be constructed by the executive agency indicating Name of the department, Name of the work, estimated cost, financial year etc as per the direction of Engg- in- Charge.

Total 57 (Fifty Seven) Clauses Only

AEE/AE
Chitrakonda Block


Block Development Officer
Chitrakonda Block

Issued to Sri.....Contractor.....
Class.....

Last date of receipt of Tender	26.07.2024
Date of Opening	30th July 2024 at 12.00 Noon
Execution of Work	Within Seven days from issuance of work order.
Venue	Block Conference Hall, Chitrakonda

CONTRACTOR


BLOCK DEVELOPMENT OFFICER

Name of Project :-
Percentage Rate Quoted in figure:-
Percentage Rate Quoted in word:-
Total tender amount :-

Total No. of Corrections.....

Total No. of Over writings.....

Total No. of Interpolation.....

Signature of the Contractor

1. In case of downloaded from official web site:

Cost of tender paper for the work "....." for **Rs.4000.00 (Rupees four Thousand/Rs.6000/-Six thousand)** only vide Demand Draft No. _____ - Dt. _____ payable at Chittrakonda.




**Block Development Officer, Chittrakonda,
Malkangiri.**

For Office use only

- | | |
|---|--|
| 1) E.M.D. | Furnished / Not furnished
Rs. _____
In shape of _____
Pledged/Not Pledged |
| 2) Valid Registration certificate:- | Copy furnished/ Not furnished |
| 3) PAN Card:- | Copy furnished/ Not furnished |
| 4) GSTIN:- | Copy furnished/ Not furnished |
| 5) Nos. of Tender paper:- _____ | |
| 6) Cost of Tender paper in case of down loading i.e. Rs. _____ /- in shape of demand draft. | |

CONTRACTOR

**BLOCK DEVELOPMENT OFFICER
CHITRAKONDA**



TENDER SCHEDULE

Name of the Project :- Construction ACR Building at ^{Bihani gudi} PS, Block- Chitrokonda					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 949272.00			At : Chitrokonda		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instructicon of Engineer-in- charge.	Cum	26.96	5022.40	135403.90
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4858.10	96044.64
5	i. Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSB/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6592.30	42190.00
b	Column Up to Plinth	Cum	1.71	14336.60	24515.59
c	Grade Beam	Cum	1.97	8804.90	17345.65
d	Lintel Beam	Cum	1.31	13622.60	17845.61
e	Ring Beam	Cum	2.93	14336.60	42006.24
f	Chajja	Cum	0.66	17003.60	11222.38
g	Roof Slab	Cum	8.23	12967.70	106724.17
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.24	9261.20	196740.58
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	332.80	21468.93
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.30	13646.69
	b) Window	Kg	250.88	78.70	19743.86
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	161.00	13924.89
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	227.70	27096.30
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1475.80	88149.53
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1205.10	8375.45
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	240.80	5350.58
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				TOTAL	949272.49
				Or Say	949272.00

Cost of the Project

(Rupees Nine lakh forty nine thousand five hundred and two) only

Total No. of Items -18 Nos

Rel 12/06/22
 Addt. P.D. (Tech) S&S cum
 Addt. P.D. (Tech) DRDA, Malkajgiri (Tech) 12-06-22
 P.D. Panchad, Malkajgiri

My Quoted rate is _____ % excess _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

TENDER SCHEDULE

Name of the Project :- Construction ACR Building at Badput PS, Block- Chitrokonda					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 949540.00			At : Chitrokonda		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instruciton of Engineer-in- charge.	Cum	26.96	5022.40	135403.90
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4858.10	96044.64
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYS D/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6592.30	42190.00
b	Column Up to Plinth	Cum	1.71	14336.60	24515.59
c	Grade Beam	Cum	1.97	8804.90	17345.65
d	Lintel Beam	Cum	1.31	13622.60	17845.61
e	Ring Beam	Cum	2.93	14336.60	42006.24
f	Chajja	Cum	0.66	17003.60	11222.38
g	Roof Slab	Cum	8.23	12967.70	106724.17
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.24	9261.20	196740.58
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	332.80	21468.93
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.30	13646.69
	b) Window	Kg	250.88	78.70	19743.86
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	161.00	13924.89
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	227.70	27096.30
12	Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1475.80	88149.53
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1205.10	8375.45
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	240.80	5350.58
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				TOTAL	949540.49
				Or Say	949540.00

Cost of the Project

Total No. of Items -18 Nos

(Rupees Nine lakh forty nine thousand five hundred forty)only

Rel 12/06/22
 Addt. P.D. (Tech)
 Executive Engineer, RWS&S cum
 Add. P.D. (Tech)
 DRDA, Malkangiri
 Panchayat, Malkangiri

My Quoted rate is _____ % excess _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

TENDER SCHEDULE *Gajalmamudi*

Name of the Project :- Construction ACR Building at Barpat PS, Block- Chitrokonda					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 949838.00			At : Chitrokonda		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.96	5022.40	135403.90
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4858.10	96044.64
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings . as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSB/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6592.30	42190.00
b	Column Up to Plinth	Cum	1.71	14336.60	24515.59
c	Grade Beam	Cum	1.97	8804.90	17345.65
d	Lintel Beam	Cum	1.31	13622.60	17845.61
e	Ring Beam	Cum	2.93	14336.60	42006.24
f	Chajja	Cum	0.66	17003.60	11222.38
g	Roof Slab	Cum	8.23	12967.70	106724.17
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.24	9261.20	196740.58
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	332.80	21468.93
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.30	13646.69
	b) Window	Kg	250.88	78.70	19743.86
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	161.00	13924.89
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	227.70	27096.30
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1475.80	88149.53
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1205.10	8375.45
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	240.80	5350.58
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				TOTAL	949334.9
				Or Say	949338.00

Cost of the Project

(Rupees Nine lakh forty nine thousand five hundred and only)

Total No. of Items -18 Nos

Rel 12/06/23
 Addl. P.O. (Tech) S&S cum
 Addl. DRDA, Malkangiri (Tech) 12.06.23
 P.O. Palahad, Malkangiri

My Quoted rate is _____ % excess _____ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

11
IV
TENDER SCHEDULE *Gandhinagar*

Name of the Project :- Construction ACR Building at Gandhinagar PS, Block- Chitrokonda					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 949633.00			At : Chitrokonda		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.42	206.80	7118.06
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.59	578.70	12494.13
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming, watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.96	5022.40	135403.90
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.77	4858.10	96044.64
5	i. Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	6592.30	42190
b	Column Up to Plinth	Cum	1.71	14336.60	24515.39
c	Grade Beam	Cum	1.97	8804.90	17345.65
d	Lintel Beam	Cum	1.31	13622.60	17845.61
e	Ring Beam	Cum	2.93	14336.60	42006.24
f	Chajja	Cum	0.66	17003.60	11222.38
g	Roof Slab	Cum	8.23	12967.70	106724.17
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	21.24	9261.20	196740.58
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	64.51	332.80	21468.93
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.30	13646.69
	b) Window	Kg	250.88	78.70	19743.86
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.49	161.00	13924.89
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	119.00	227.70	27096.30
12	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	59.73	1475.80	88149.53
13	Fixing Chequered tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1205.10	8375.45
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.22	240.80	5350.58
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	123.71	65.90	8152.49
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	123.71	81.30	10057.62
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost per 1 Sqm.	Sqm	174.19	72.50	12628.78
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				TOTAL	949632.49
				Or Say	949632.00

Cost of the Project

Total No. of Items -18 Nos

(Rupees Nine lakh forty nine thousand five hundred only)

Rel. 12/06/22
 Addl. P. P. (Tech) S&S cum
 Addl. P. P. (Tech) Malkangiri (Tech)
 P. P. Parishad, Malkangiri

My Quoted rate is _____ % excess _____ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

TENDER SCHEDULE

Name of the Project :- Construction ACR Building at Taberu PS, Block- Chitrokonda					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 948912.00			At : Chitrokonda		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	34.24	206.80	7080.83
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	21.41	578.70	12389.97
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.67	5095.20	135888.98
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	19.55	4922.40	96232.92
5	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				

a	Column Base	Cum	6.40	7066.20	45223.6
b	Column Up to Plinth	Cum	1.71	14810.40	25325.78
c	Grade Beam	Cum	1.95	9290.40	18116.28
d	Lintel Beam	Cum	1.30	14096.50	18325.45
e	Ring Beam	Cum	2.91	14810.40	43098.26
f	Chajja	Cum	0.66	17477.50	11535.15
g	Roof Slab	Cum	8.07	13441.60	108473.71
6	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc.	Qntl	20.15	9308.80	187577.44
7	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	63.23	344.70	21795.38
8	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	167.86	81.80	13730.62
	b) Window	Kg	250.88	79.30	19894.39
9	Labour for Fitting fixing of doors/windows etc complete.	Sqm	11.89	568.60	6760.65
10	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	85.47	164.50	14059.82
11	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	117.98	231.80	27347.76
12	Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	58.53	1487.60	87069.23
13	Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to	Sqm	6.95	1230.90	8554.76
14	20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	22.01	245.90	5412.26
15	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	122.39	65.90	8065.50
16	Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	122.39	81.30	9950.31
17	Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	172.00	72.50	12470.00
18	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	30.10	150.60	4533.06
				TOTAL	948912.20
				Or Say	948912.00

Cost of the Project

(Rupees Nine lakh forty eitht thousand nine hundred twelve)only

Total No. of Items -18 Nos

12/04/23
Addl. P.O. (Tech)
Executive Engineer, PWS&S-cum
DRDA, Malkangiri
Zilla Parishad, Malkangiri

My Quoted rate is _____ % excess _____ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any descripancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

TENDER SCHEDULE

Name of the Project :- Construction ACR Building at ^{Sunamgiri} Wanmangiri PUPS GP-^{Dhuliput GP} Wanmangiri, Dist- Malkangiri					
Cost of Tender Paper : Rs.4000/-			Class of Contractor : D / C		
Amount put to Tender (Approx.) : 1,66,810.00			At : Malkangiri		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : Bid Security Declaration			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Supplying all materials, labour, T& P and Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away form the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	36.03	211.00	7602.33
2	Supplying all materials, labour, T& P and and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	37.63	365.00	13734.95
3	Supplying all materials, labour, T& P and Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	6.11	5612.10	34289.93
4	Supplying all materials, labour, T& P and RR stonemasonry in cemnet mortar of (1:6) with portland slag cement , watering and curing etc. including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all lbaour sundries T& P required for the works etc complete in all respect as directed by the Engineer in charge	Cum	26.60	5123.40	136282.44
5	Supplying all materials, labour, T& P and Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	20.16	5063.90	102088.22



	2	3	4	5	6
6	Supplying all materials, labour, T& P and. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a minimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone chips of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary portland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	5.67	6855.70	38871.82
b	Column Up to Plinth	Cum	1.62	13307.30	21557.83
c	Grade Beam	Cum	2.71	8968.90	24305.72
d	Lintel Beam	Cum	1.81	10915.20	19756.51
f	Ring Beam	Cum	5.23	13307.30	69597.18
g	Chajja	Cum	0.84	14607.30	12270.13
h	Roof Slab	Cum	10.46	11632.70	121678.04
7	Supplying all materials, labour, T& P and Cutting, bending binding and placing in position of reinforcement steel for RCC work	Qntl	24.81	10826.60	268572.22
8	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	83.71	356.10	29809.13
9	Supplying all materials, labour, T& P and fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour.				
	a) Door	Kg	311.82	81.30	25351.36
	b) Window	Kg	167.25	78.80	13179.30
10	Supplying all materials, labour, T& P and Labour for Fitting fixing of doors/windows etc complete.	Sqm	14.12	67.40	951.69
11	Supplying all materials, labour, T& P and 12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.20	168.40	14516.08
12	Supplying all materials, labour, T& P and 16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	132.80	237.30	31513.44
13	Supplying all materials, labour, T& P and Fixing of Virfified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles including rubbing and polishing complete excluding cost of precast TILES	Sqm	62.80	1501.30	94281.64
14	Supplying all materials, labour, T& P and Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shades of the tiles incl. rubbing and polishing complete incl. cost of tile etc all	Sqm	6.95	1260.90	8763.26
15	Supplying all materials, labour, T& P and 20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	26.40	252.70	6671.28
16	Supplying all materials, labour, T& P and Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	132.01	66.40	8765.46
17	Supplying all materials, labour, T& P and Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	132.01	81.90	10811.62

1	2	3	4	5	6
18	Supplying all materials, labour, T& P and Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	204.75	73.40	15028.65
19	Supplying all materials, labour, T& P and Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	35.67	152.70	5446.81
				TOTAL	126510.03
				Or Say	126510.00

Cost of the Project

(Rupees Nine lakh nineteen thousand six hundred eighty one)only

Total No. of Items -19 Nos

Del. Chakraborty
 Addl. P. O. (Tech), RWS&S-cum
 Executive Engineer,
 DRDA, Malkangiri
 Addl. Project Director (Tech)
 Zilla Parishad, Malkangiri
Prakash
 6/10/24

My Quoted rate is _____ % excess
 (Both in figures and words) over the amount put to tender

_____ % less

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

TENDER SCHEDULE

Name of the Project :- Construction ACR Building at ^{Chintandali} PUPS GP-RALEGADA, Dist- Malkangiri					
Cost of Tender Paper : Rs.4000/-			Class of Contract: D / C		
Amount put to Tender (Approx.) : 1135339.00			At : Malkangiri		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : Bid Security Declaration			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Supplying all materials, labour, T& P and Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	36.03	211.00	7602.33
2	Supplying all materials, labour, T& P and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	37.63	365.00	13734.95
3	Supplying all materials, labour, T& P and Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	6.11	5612.10	34289.93
4	Supplying all materials, labour, T& P and RR stonemasonry in cemnet mortar of (1:6) with portland slag cement , watering and curing etc. including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all lbaour sundries T& P required for the works etc complete in all respect as directed by the Engineer in charge.	Cum	26.60	5123.40	136282.44
5	Supplying all materials, labour, T& P and Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	20.16	5063.90	102088.22

	2	3	4	5	6
6	Supplying all materials, labour, T& P andi. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a minimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone chips of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary portland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	5.67	6855.70	38871.82
b	Column Up to Plinth	Cum	1.62	13307.30	21557.83
c	Grade Beam	Cum	2.71	8968.90	24305.72
d	Lintel Beam	Cum	1.81	10915.20	19756.51
f	Ring Beam	Cum	5.23	13307.30	69597.18
g	Chajja	Cum	0.84	14607.30	12270.13
h	Roof Slab	Cum	10.46	11632.70	121678.04
7	Supplying all materials, labour, T& P and Cutting, bending binding and placing in position of reinforcement steel for RCC work	Qntl	24.81	10826.60	268572.22
8	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	83.71	356.10	29809.13
9	Supplying all materials, labour, T& P and fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour.				
a)	Door	Kg	311.82	81.30	25351.36
b)	Window	Kg	167.25	78.80	13179.30
10	Supplying all materials, labour, T& P and Labour for Fitting fixing of doors/windows etc complete.	Sqm	14.12	67.40	951.69
11	Supplying all materials, labour, T& P and 12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.20	168.40	14516.08
12	Supplying all materials, labour, T& P and 16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	132.80	237.30	31513.44
13	Supplying all materials, labour, T& P and Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles including rubbing and polishing complete excluding cost of precast TILES	Sqm	62.80	1501.30	94281.64
14	Supplying all materials, labour, T& P and Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to match the shades of the tiles incl. rubbing and polishing complete incl. cost of tile etc all	Sqm	6.95	1260.90	8763.26
15	Supplying all materials, labour, T& P and 20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc.complete.	Sqm	26.40	252.70	6671.28
16	Supplying all materials, labour, T& P and Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	132.01	66.40	8765.46
17	Supplying all materials, labour, T& P and Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	132.01	81.90	10811.62

1	2	3	4	5	6
18	Supplying all materials, labour, T& P and Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	204.75	73.40	15028.65
19	Supplying all materials, labour, T& P and Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	35.67	152.70	5446.81
				TOTAL	1135339.03
				Or Say	1135000

Cost of the Project

(Rupees Nine lakh nineteen thousand six hundred eighty one)only

Total No. of Items -19 Nos

Del. Jais
 Addl. P. D. (Tech)
 Executive Engineer, RWS&S-cum
 DRDA, Malkangiri

My Quoted rate is _____ % excess *Amravan 6/12/17* _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

TENDER SCHEDULE

Name of the Project :- Construction 4 NOS ADDITIONAL CLASS ROOM AT JANTAPAI UPS , Block-Chittrakonda					
Cost of Tender Paper : Rs.6000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 2668936.00			At : Chittrakonda		
Cost of Tender Paper : Rs .6000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 6 (Six) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	52.77	211.00	11134.00
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	53.37	579.70	30939.00
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instructiton of Engineer-in- charge.	Cum	46.76	5261.50	246028.00
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	36.13	4969.30	179541.00
5	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge. (1st Floor)	Cum	38.61	5262.30	203177.00
6	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYS/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	8.50	7430.40	63158.00
b	Column above Plinth	Cum	2.33	15258.50	35552.00
c	Grade Beam	Cum	3.81	9724.80	37051.00
d	Lintel Beam	Cum	2.54	14495.70	36819.00

e	Ring Beam	Cum	5.66	15258.50	86363.00
f	Chajja	Cum	0.73	17919.90	13002.00
g	Roof Slab	Cum	16.61	13854.20	230118.00
7	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete.	Qntl	36.16	8951.40	323701.00
8	R.C.C. works with M25 grade using 20mm down size h.b.g chips complete in all respect, but excluding cost of M.S rods & centering & shuttering etc. (1st Floor)				
a	Lintel Beam	Cum	2.54	16103.72	40903.00
b	Ring Beam	Cum	5.66	16866.52	95465.00
c	Chajja	Cum	0.73	19527.92	14255.00
d	Roof Slab	Cum	14.94	15462.22	231006.00
9	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete. 1st Floor	Qntl	21.48	8977.50	192864.00
10	25mm thick grading concrete with C.C. (1:2:2) over roof slab complete in all respect. (1st Floor)	Cum	119.60	394.88	47228.00
11	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	671.42	105.20	70633.00
	b) Window	Kg	501.76	105.20	52785.00
12	Labour for Fitting fixing of doors/windows etc complete.	Sqm	34.18	578.50	19773.00
13	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	110.53	168.20	18591.00
		Sqm	101.33	174.20	17652.00
14	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	205.66	237.00	48741.00
		Sqm	196.46	246.00	48329.00
15	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles 1st Floor	Sqm	63.54	1371.70	87158.00
		Sqm	63.54	1571.73	99868.00
16	20 mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	32.04	252.40	8087.00
17	Distemper 2 coats to the inner walls & ceiling complete in all respect.	Sqm	608.92	70.70	43051.00
18	Weather coats to the outer walls & ceiling complete in all respect. 1st Floor	Sqm	131.64	82.20	10821.00
		Sqm	131.64	85.55	11262.00
19	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	92.81	148.70	13801.00
				TOTAL	2668936.00
				Or Say	2668936.00

Cost of the Project

(Rupees Twenty six lakh seventy two thousand two hundred seventeen) only

Total No. of Items -19 Nos

Pd. Jaitay
Addl. P.O. (Tech)
Executive Engineer, RWS&S-cum
DRDA, Malkangiri
Addl. Project Director (Tech)
Malkangiri
% less

My Quoted rate is _____ % excess _____ % less

(Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

TENDER SCHEDULE

Name of the Project :- Construction 4 NOS ADDITIONAL CLASS ROOM AT DARLABEDA UGHS , Block- Chitrakonda					
Cost of Tender Paper : Rs.6000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 2672216.00			At : Chitrakonda		
Cost of Tender Paper : Rs .6000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 6 (Six) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away form the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	52.77	211.00	11134.00
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	53.37	579.70	30939.00
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instructicon of Engineer-in- charge.	Cum	46.76	5271.90	246514.00
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	36.13	4973.30	179685.00
5	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge. (1st Floor)	Cum	38.61	5266.30	203332.00
6	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	8.50	7454.60	63364.00
b	Column above Plinth	Cum	2.33	15282.70	35609.00
c	Grade Beam	Cum	3.81	9750.50	37149.00
d	Lintel Beam	Cum	2.54	14519.90	36881.00

e	Ring Beam	Cum	5.66	15282.70	86500.00
f	Chajja	Cum	0.73	17944.10	13009.00
g	Roof Slab	Cum	16.61	13878.40	230520.00
7	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete.	Qntl	36.16	8957.70	323928.00
8	R.C.C. works with M25 grade using 20mm down size h.b.g chips complete in all respect, but excluding cost of M.S rods & centering & shuttering etc. (1st Floor)				
a	Lintel Beam	Cum	2.54	16127.92	40965.00
b	Ring Beam	Cum	5.66	16890.72	95601.00
c	Chajja	Cum	0.73	19552.12	14273.00
d	Roof Slab	Cum	14.94	15486.42	231367.00
9	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete. 1st Floor	Qntl	21.48	8983.80	192999.00
10	25mm thick grading concrete with C.C. (1:2:2) over roof slab complete in all respect. (1st Floor)	Cum	119.60	395.58	47312.00
11	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	671.42	105.30	70701.00
	b) Window	Kg	501.76	105.30	52835.00
12	Labour for Fitting fixing of doors/windows etc complete.	Sqm	34.18	578.50	19773.00
13	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	110.53	168.40	18613.00
		Sqm	101.33	174.40	17672.00
14	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	205.66	237.30	48803.00
		Sqm	196.46	246.30	48388.00
15	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles 1st Floor	Sqm	63.54	1373.30	87259.00
		Sqm	63.54	1573.33	99970.00
16	20 mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	32.04	252.70	8096.00
17	Distemper 2 coats to the inner walls & ceiling complete in all respect.	Sqm	608.92	70.70	43051.00
18	Weather coats to the outer walls & ceiling complete in all respect. 1st Floor	Sqm	131.64	82.20	10821.00
		Sqm	131.64	85.55	11262.00
19	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	92.81	148.70	13801.00
				TOTAL	2672216.00
				Or Say	2672216.00

Cost of the Project

Total No. of Items -19 Nos

(Rupees Iwenty six lakh seventy two thousand two hundred seventeen) only

Rel. 10/12/24
Addl. P.D. (Tech.)
Executive Engineer, BWS&S-cum
DRDA, Malkangiri
Addl. Project Director (Tech)
Malikata Parishad, Malkangiri
5/11/24

My Quoted rate is _____ % excess _____
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

TENDER SCHEDULE

Name of the Project :- Construction 4 NOS ADDITIONAL CLASS ROOM AT JANTRI UGHS , Block-Chittrakonda					
Cost of Tender Paper : Rs.6000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 2674471.00			At : Malkangiri		
Cost of Tender Paper : Rs .6000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 6 (Six) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	52.54	211.00	11086.00
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	46.08	579.70	26713.00
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	46.73	5426.30	253571.00
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	35.72	5059.40	180722.00
5	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge. (1st Floor)	Cum	38.20	5352.40	204462.00
6	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	8.50	7628.50	64842.00
b	Column above Plinth	Cum	2.33	15456.70	36014.00
c	Grade Beam	Cum	3.78	9927.50	37526.00
d	Lintel Beam	Cum	2.52	14693.80	37028.00

e	Ring Beam	Cum	5.63	15456.70	87021.00
f	Chajja	Cum	0.73	18118.10	1320.00
g	Roof Slab	Cum	16.31	14052.30	229193.00
7	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete.	Qntl	35.82	8970.30	321316.00
8	R.C.C. works with M25 grade using 20mm down size h.b.g chips complete in all respect, but excluding cost of M.S rods & centering & shuttering etc. (1st Floor)				
a	Lintel Beam	Cum	2.52	16301.82	41081.00
b	Ring Beam	Cum	5.63	17064.72	96074.00
c	Chajja	Cum	0.73	19726.12	14400.00
d	Roof Slab	Cum	14.64	15660.32	229267.00
9	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete. 1st Floor	Qntl	21.17	8996.40	190436.00
10	25mm thick grading concrete with C.C. (1:2:2) over roof slab complete in all respect. (1st Floor)	Cum	117.21	401.78	47093.00
11	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
a)	Door	Kg	671.42	105.40	70768.00
b)	Window	Kg	501.76	105.40	52886.00
12	Labour for Fitting fixing of doors/windows etc complete.	Sqm	34.18	578.50	19773.00
13	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	109.51	173.00	18945.00
		Sqm	100.31	179.00	17955.00
14	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	204.64	242.80	49687.00
		Sqm	195.44	251.80	49212.00
15	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles 1st Floor	Sqm	63.54	1376.60	87469.00
		Sqm	63.54	1576.63	100179.00
16	20 mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	31.83	259.20	8250.00
17	Distemper 2 coats to the inner walls & ceiling complete in all respect.	Sqm	602.24	70.70	42578.00
18	Weather coats to the outer walls & ceiling complete in all respect. 1st Floor	Sqm	130.53	82.20	10730.00
		Sqm	130.53	85.55	11167.00
19	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	92.81	148.70	13801.00
				TOTAL	2674471.00
				Or Say	2674471.00

Cost of the Project

Total No. of Items -19 Nos

(Rupees Twenty six lakh seventy four thousand four hundred seventy one) only

Rel. 08/01/24
Executive Engineer, RWS&S-cum
ADDL P.O. Malkangiri (Tech)
Zilla Parishad, Malkangiri

My Quoted rate is _____ % excess _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

TENDER SCHEDULE

Name of the Project :- Construction4 NOS ADDITIONAL CLASS ROOM AT ANDRAPALI UGHS , Block- Chittrakonda					
Cost of Tender Paper : Rs.6000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 2672216.00			At : Chittrakonda		
Cost of Tender Paper : Rs .6000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 6 (Six) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away form the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	52.77	211.00	11134.00
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	53.37	579.70	30939.00
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instruciton of Engineer-in- charge.	Cum	46.76	5271.90	246514.00
4	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	36.13	4973.30	179685.00
5	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge. (1st Floor)	Cum	38.61	5266.30	203332.00
6	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	8.50	7454.60	63364.00
b	Column above Plinth	Cum	2.33	15282.70	35609.00
c	Grade Beam	Cum	3.81	9750.50	37149.00
d	Lintel Beam	Cum	2.54	14519.90	36881.00

e	Ring Beam	Cum	5.66	15282.70	86500.00
f	Chajja	Cum	0.73	17944.10	13000.00
g	Roof Slab	Cum	16.61	13878.40	230520.00
7	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete.	Qntl	36.16	8957.70	323928.00
8	R.C.C. works with M25 grade using 20mm down size h.b.g chips complete in all respect, but excluding cost of M.S rods & centering & shuttering etc. (1st Floor)				
a	Lintel Beam	Cum	2.54	16127.92	40965.00
b	Ring Beam	Cum	5.66	16890.72	95601.00
c	Chajja	Cum	0.73	19552.12	14273.00
d	Roof Slab	Cum	14.94	15486.42	231367.00
9	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete. 1st Floor	Qntl	21.48	8983.80	192999.00
10	25mm thick grading concrete with C.C. (1:2:2) over roof slab complete in all respect. (1st Floor)	Cum	119.60	395.58	47312.00
11	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	671.42	105.30	70701.00
	b) Window	Kg	501.76	105.30	52835.00
12	Labour for Fitting fixing of doors/windows etc complete.	Sqm	34.18	578.50	19773.00
13	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	110.53	168.40	18613.00
		Sqm	101.33	174.40	17672.00
14	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	205.66	237.30	48803.00
		Sqm	196.46	246.30	48388.00
15	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles 1st Floor	Sqm	63.54	1373.30	87259.00
		Sqm	63.54	1573.33	99970.00
16	20 mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	32.04	252.70	8096.00
17	Distemper 2 coats to the inner walls & ceiling complete in all respect.	Sqm	608.92	70.70	43051.00
18	Weather coats to the outer walls & ceiling complete in all respect. 1st Floor	Sqm	131.64	82.20	10821.00
		Sqm	131.64	85.55	11262.00
19	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	92.81	148.70	13801.00
				TOTAL	2672216.00
				Or Say	2672216.00

Cost of the Project

Total No. of Items -19 Nos

(Rupees Twenty six lakh seventy two thousand two hundred seventeen) only

My Quoted rate is _____ % excess _____ % less

(Both in figures and words) over the amount put to tender

Bel
Addl. P. D. (Tech.)
Executive Engineer, RWS&S-cum
DRDA, Malkangiri
Addl. Project Director (Tech)
Zilla Parishad, Malkangiri
6/12/19

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

XII

TENDER SCHEDULE

Name of the Project :- Construction4 NOS ADDITIONAL CLASS ROOM AT SARKUBANDHA UGHS , Block- Chitrakonda					
Cost of Tender Paper : Rs.6000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 2668936.00			At : Malkangiri		
Cost of Tender Paper : Rs .6000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 6 (Six) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	52.77	211.00	11134.00
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	53.37	579.70	30939.00
3	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes. T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	46.76	5261.50	246028.00
4	Providing and laying C.B brick masonary work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	36.13	4969.30	179541.00
5	Providing and laying C.B brick masonary work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge. (1st Floor)	Cum	38.61	5262.30	203177.00
6	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	8.50	7430.40	63158.00
b	Column above Plinth	Cum	2.33	15258.50	35552.00
c	Grade Beam	Cum	3.81	9724.80	37051.00

d	Lintel Beam	Cum	2.54	14495.70	36819.00
e	Ring Beam	Cum	5.66	15258.50	8653.00
f	Chajja	Cum	0.73	17919.90	13082.00
g	Roof Slab	Cum	16.61	13854.20	230118.00
7	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete.	Qntl	36.16	8951.40	323701.00
8	R.C.C. works with M25 grade using 20mm down size h.b.g chips complete in all respect, but excluding cost of M.S rods & centering & shuttering etc. (1st Floor)				
a	Lintel Beam	Cum	2.54	16103.72	40903.00
b	Ring Beam	Cum	5.66	16866.52	95465.00
c	Chajja	Cum	0.73	19527.92	14255.00
d	Roof Slab	Cum	14.94	15462.22	231006.00
9	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete. 1st Floor	Qntl	21.48	8977.50	192864.00
10	25mm thick grading concrete with C.C. (1:2:2) over roof slab complete in all respect. (1st Floor)	Cum	119.60	394.88	47228.00
11	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	671.42	105.20	70633.00
	b) Window	Kg	501.76	105.20	52785.00
12	Labour for Fitting fixing of doors/windows etc complete.	Sqm	34.18	578.50	19773.00
13	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	110.53	168.20	18591.00
		Sqm	101.33	174.20	17652.00
14	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed. 1st Floor	Sqm	205.66	237.00	48741.00
		Sqm	196.46	246.00	48329.00
15	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles 1st Floor	Sqm	63.54	1371.70	87158.00
		Sqm	63.54	1571.73	99868.00
16	20 mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	32.04	252.40	8087.00
17	Distemper 2 coats to the inner walls & ceiling complete in all respect.	Sqm	608.92	70.70	43051.00
18	Weather coats to the outer walls & ceiling complete in all respect. 1st Floor	Sqm	131.64	82.20	10821.00
		Sqm	131.64	85.55	11262.00
19	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	92.81	148.70	13801.00
				TOTAL	2668936.00
				Or Say	2668936.00

Cost of the Project

Total No. of Items -19 Nos

(Rupees Twenty six lakh sixty eight thousand nine hundred thirty six) only

Rajesh Kumar
 Addl. P.D (Tech.)
 Executive Engineer, KWS&S-cum
 DRDA, Malkangiri
 Addl. Project Director (Tech)
 Pilla Parishad, Malkangiri

My Quoted rate is _____ % excess _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

XIII ✓
TENDER SCHEDULE

Name of the Project :- Construction ACR Building at DANGARPADAR PS GP-PANASPUT, Dist- Malkangiri					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 1146767.00			At : Malkangiri		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : Bid Security Declaration			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Supplying all materials, labour, T& P and Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	36.03	211.00	7602.33
2	Supplying all materials, labour, T& P and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	37.63	365.00	13734.95
3	Supplying all materials, labour, T& P and Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	6.11	5607.40	34261.21
4	Supplying all materials, labour, T& P and RR stonemasonry in cemnet mortar of (1:6) with portland slag cement , watering and curing etc. including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all lbaour sundries T& P required for the works etc complete in all respect as directed by the Enginnee- in charge	Cum	26.60	5119.20	136170.72
5	Supplying all materials, labour, T& P and Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer in charge	Cum	20.16	5061.70	102043.87

1	2	3	4	5	6
6	Supplying all materials, labour, T& P and. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a minimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone chips of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary portland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	5.67	6850.10	38840.07
b	Column Up to Plinth	Cum	1.62	13301.60	21548.59
c	Grade Beam	Cum	2.71	8963.10	24290.00
d	Lintel Beam	Cum	1.81	10909.50	19746.20
f	Ring Beam	Cum	5.23	13301.60	69567.37
g	Chajja	Cum	0.84	14601.60	12265.34
h	Roof Slab	Cum	10.46	11627.00	121618.42
7	Supplying all materials, labour, T& P and Cutting, bending binding and placing in position of reinforcement steel for RCC work	Qntl	24.81	10825.80	268552.37
8	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	83.71	355.90	29792.39
9	Supplying all materials, labour, T& P and fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour.				
	a) Door	Kg	311.82	81.30	25351.36
	b) Window	Kg	167.25	78.80	13179.30
10	Supplying all materials, labour, T& P and Labour for Fitting fixing of doors/windows etc complete.	Sqm	14.12	67.40	951.69
11	Supplying all materials, labour, T& P and 12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.20	168.30	14507.46
12	Supplying all materials, labour, T& P and 16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	132.80	237.20	31500.16
13	Supplying all materials, labour, T& P and Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles including rubbing and polishing complete excluding cost of precast TILES	Sqm	62.80	1500.70	94243.96
14	Supplying all materials, labour, T& P and Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) joined with neat cement slurry mixed with pigment to match the shades of the tiles incl. rubbing and polishing complete incl. cost of tile etc all	Sqm	6.95	1260.40	8759.78
15	Supplying all materials, labour, T& P and 20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour	Sqm	26.40	252.50	6666.00
16	Supplying all materials, labour, T& P and Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	132.01	66.40	8765.46
17	Supplying all materials, labour, T& P and Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	132.01	81.90	10811.62

1	2	3	4	5	6
18	Supplying all materials, labour, T& P and Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	204.75	73.40	15028.65
19	Supplying all materials, labour, T& P and Providing two coat of enamel paint over the grill work including cost of all materials and	Sqm	35.67	152.70	5446.81
				TOTAL	1135246.08
				Or Say	1135246.00

Cost of the Project

(Rupees Nine lakh nineteen thousand six hundred eighty one)only

Total No. of Items -19 Nos

Pradeep
 Addl. P.D. (Tech)
 Executive Engineer, WWS&S-cum
 DRDA, Malkangiri
 Addl. Project Director (Tech)
 Zilla Parishad, Malkangiri

My Quoted rate is _____ % excess *Pradeep* _____ % less
 (Both in figures and words) over the amount put to tender *6/11/24*

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

XIV

TENDER SCHEDULE

Name of the Project :- Construction ACR Building at SANAYASIGUDA PS GP-JANTRI, Dist-Malkangiri					
Cost of Tender Paper : Rs.4000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 1136401			At : Malkangiri		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : Bid Security Declaration			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Supplying all materials, labour, T& P and Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	36.03	211.00	7602.33
2	Supplying all materials, labour, T& P and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	37.63	365.00	13734.95
3	Supplying all materials, labour, T& P and Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	6.11	5618.30	34327.81
4	Supplying all materials, labour, T& P and RR stonemasonry in cemnet mortar of (1:6) with portland slag cement , watering and curing etc. including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all lbaour sundries T& P required for the works etc complete in all respect as directed by the Enginner in charge.	Cum	26.60	5128.80	136426.08
5	Supplying all materials, labour, T& P and Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer in charge.	Cum	20.16	5066.60	102142.66

1	2	3	4	5	6
6	Supplying all materials, labour, T& P and. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a minimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone chips of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary portland cement (OPC) including noisting, lowering lying an dcompacting concrete by using vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightening, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	5.67	6864.30	38920.58
b	Column Up to Plinth	Cum	1.62	13315.90	21571.76
c	Grade Beam	Cum	2.71	8977.80	24329.84
d	Lintel Beam	Cum	1.81	10923.70	19771.90
f	Ring Beam	Cum	5.23	13315.90	69642.16
g	Chajja	Cum	0.84	14615.90	12277.36
h	Roof Slab	Cum	10.46	11641.30	121768.00
7	Supplying all materials, labour, T& P and Cutting, bending binding and placing in position of reinforcement steel for RCC work	Qntl	24.81	10828.10	268609.43
8	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	83.71	356.40	29834.24
9	Supplying all materials, labour, T& P and fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour.				
	a) Door	Kg	311.82	81.40	25382.54
	b) Window	Kg	167.25	78.80	13179.30
10	Supplying all materials, labour, T& P and Labour for Fitting fixing of doors/windows etc complete.	Sqm	14.12	67.40	951.69
11	Supplying all materials, labour, T& P and 12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.20	168.60	14533.32
12	Supplying all materials, labour, T& P and 16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	132.80	237.50	31540.00
13	Supplying all materials, labour, T& P and Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles including rubbing and polishing complete excluding cost of precast TILES	Sqm	62.80	1502.50	94357.00
14	Supplying all materials, labour, T& P and Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to match the shades of the tiles incl. rubbing and polishing complete incl. cost of tile etc all	Sqm	6.95	1261.70	8768.82
15	Supplying all materials, labour, T& P and 20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour	Sqm	26.40	252.90	6676.56
16	Supplying all materials, labour, T& P and Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	132.01	66.40	8765.46
17	Supplying all materials, labour, T& P and Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	132.01	81.90	10811.62

1	2	3	4	5	6
18	Supplying all materials, labour, T& P and Distemping two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	204.75	73.40	15028.65
19	Supplying all materials, labour, T& P and Providing two coat of enamel paint over the grill work including cost of all materials and	Sqm	35.67	152.70	5446.81
				TOTAL	1136400.85
				Or Say	1136401.00

Cost of the Project

(Rupees Nine lakh nineteen thousand six hundred eighty one)only

Total No. of Items -19 Nos

Rel. 01/04
 Addl. P.D. (Tech.)
 Executive Engineer, KWS&S-cum
 DRDA, Malkangiri
 Addl. Project Director (Tech)
 Zilla Parishad, Malkangiri

My Quoted rate is _____ % excess _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

XV

TENDER SCHEDULE

Name of the Project :- Construction ACR Building at NARIDPALI PUPS GP-RALEGADA, Dist- Malkangiri					
Cost of Tender Paper : Rs.4000/-			Class of Contract D / C		
Amount put to Tender (Approx.) : 1135697.00			At : Malkangiri		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : Bid Security Declaration			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Supplying all materials, labour, T& P and Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away form the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	36.03	211.00	7602.33
2	Supplying all materials, labour, T& P and and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	37.63	365.00	13734.95
3	Supplying all materials, labour, T& P and Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	6.11	5612.10	34289.93
4	Supplying all materials, labour, T& P and RR stonemasonry in cemnet mortar of (1:6) with portland slag cement , watering and curing etc. including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all lbaour sundries T& P required for the works etc complete in all respect as directed by the Engineer- in-charge	Cum	26.60	5123.40	136282.44
5	Supplying all materials, labour, T& P and Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	20.16	5063.90	102088.22

1	2	3	4	5	6
6	Supplying all materials, labour, T & P andi. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYS/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	5.67	6855.70	38871.82
b	Column Up to Plinth	Cum	1.62	13307.30	21557.83
c	Grade Beam	Cum	2.71	8968.90	24305.72
d	Lintel Beam	Cum	1.81	10915.20	19756.51
f	Ring Beam	Cum	5.23	13307.30	69597.18
g	Chajja	Cum	0.84	14607.30	12270.13
h	Roof Slab	Cum	10.46	11632.70	121678.04
7	Supplying all materials, labour, T & P and Cutting, bending binding and placing in position of reinforcement steel for RCC work	Qntl	24.81	10826.60	268572.22
8	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	83.71	356.10	29809.13
9	Supplying all materials, labour, T & P and fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour.				
	a) Door	Kg	311.82	81.30	25351.36
	b) Window	Kg	167.25	78.80	13179.30
10	Supplying all materials, labour, T & P and Labour for Fitting fixing of doors/windows etc complete.	Sqm	14.12	67.40	951.69
11	Supplying all materials, labour, T & P and 12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.20	168.40	14516.08
12	Supplying all materials, labour, T & P and 16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	132.80	237.30	31513.44
13	Supplying all materials, labour, T & P and Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles including rubbing and polishing complete excluding cost of precast TILES	Sqm	62.80	1501.30	94281.64
14	Supplying all materials, labour, T & P and Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to match the shades of the tiles incl. rubbing and polishing complete incl. cost of tile etc all	Sqm	6.95	1260.90	8763.26
15	Supplying all materials, labour, T & P and 20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc complete.	Sqm	26.40	252.70	6671.28
16	Supplying all materials, labour, T & P and Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	132.01	66.40	8765.46
17	Supplying all materials, labour, T & P and Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	132.01	81.90	10811.62

1	2	3	4	5	6
18	Supplying all materials, labour, T& P and Distempering two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	204.75	73.40	15028.65
19	Supplying all materials, labour, T& P and Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	35.67	152.70	5446.81
				TOTAL	1135697.03
				Or Say	1135697.00

Cost of the Project

(Rupees Nine lakh nineteen thousand six hundred eighty one)only

Total No. of Items -19 Nos

Rel. of 10/11/24
 Addl. P.D. (Tech)
 Executive Engineer, RWS&S-cum
 DRDA, Malkangiri
 Addl. Project Director (Tech)
 Zilla Parishad, Malkangiri

My Quoted rate is _____ % excess _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

~~XVI~~
TENDER SCHEDULE

Name of the Project :- Construction ACR Building at DHAKADPADAR PS GP- JANTRI , Dist- Malkangiri					
Cost of Tender Paper : Rs.4000/-			Class of Contract: D / C		
Amount put to Tender (Approx.) : 1135952.00			At : Malkangiri		
Cost of Tender Paper : Rs.4000/-			Dist. : Malkangiri		
Earnest Money : Bid Security Declaration			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTITY	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Supplying all materials, labour, T& P and Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	36.03	211.00	7602.33
2	Supplying all materials, labour, T& P and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	37.63	365.00	13734.95
3	Supplying all materials, labour, T& P and Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	6.11	5615.10	34308.26
4	Supplying all materials, labour, T& P and RR stonemasonay in cemnet mortar of (1.6) with portland slag cement , watering and curing etc. including cost, conveyance, loading and unloading, royalties and taxes of all materials and cost of all lbaour sundries T& P required for the works etc complete in all respect as directed by the Enginner -in-charge.	Cum	26.60	5126.40	136362.24
5	Supplying all materials, labour, T& P and Providing and laying C.B brick masonary work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	20.16	5065.70	102124.51

1	2	3	4	5	6
6	Supplying all materials, labour, T & P and Providing, lifting hoisting laying Reinforced cement concrete of M20 grade in column footings, as per approved designs and drawings having a minimum compressive strength (in work test) 200 Kg./ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone chips of approved quality from approved quarry washed and cleaned (20mm size not to exceed 25%) to be mixed in concrete mixture with ordinary portland cement (OPC) including noisting, lowering lying and compacting concrete by using vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones, T & P required for the work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightening, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	5.67	6858.60	38888.26
b	Column Up to Plinth	Cum	1.62	13310.10	21562.36
c	Grade Beam	Cum	2.71	8971.80	24313.58
d	Lintel Beam	Cum	1.81	10918.00	19761.58
f	Ring Beam	Cum	5.23	13310.10	69611.82
g	Chajja	Cum	0.84	14610.10	12272.48
h	Roof Slab	Cum	10.46	11635.50	121707.33
7	Supplying all materials, labour, T & P and Cutting, bending binding and placing in position of reinforcement steel for RCC work	Qntl	24.81	10826.60	268572.22
8	25mm thick grading plaster with C.M. (1:4) over roof slab complete in all respect.	Cum	83.71	356.20	29817.50
9	Supplying all materials, labour, T & P and fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour.				
a)	Door	Kg	311.82	81.30	25351.36
b)	Window	Kg	167.25	78.80	13179.30
10	Supplying all materials, labour, T & P and Labour for Fitting fixing of doors/windows etc complete.	Sqm	14.12	67.40	951.69
11	Supplying all materials, labour, T & P and 12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	86.20	168.50	14524.70
12	Supplying all materials, labour, T & P and 16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	132.80	237.40	31526.72
13	Supplying all materials, labour, T & P and Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles including rubbing and polishing complete excluding cost of precast TILES	Sqm	62.80	1501.40	94287.92
14	Supplying all materials, labour, T & P and Fixing Chequred tiles in floors on 25 mm thick bed of cement mortar (1:1) jointed with neat cement slurry mixed with pigment to match the shades of the tiles incl. rubbing and polishing complete incl. cost of tile etc all	Sqm	6.95	1261.00	8763.95
15	Supplying all materials, labour, T & P and 20 mm thick cement plaster (1:4) over Stone work with cost of all materials and all labour etc complete.	Sqm	26.40	252.80	6673.92
16	Supplying all materials, labour, T & P and Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	132.01	66.40	8765.46
17	Supplying all materials, labour, T & P and Weather Coat 2 coats to the inner walls & ceiling complete in all respect.	Sqm	132.01	81.90	10811.62

1	2	3	4	5	6
18	Supplying all materials, labour, T& P and Distemping two coat to walls with distemper of approved shade on new work to give an even shade including cost.per 1 Sqm.	Sqm	204.75	73.40	15028.65
19	Supplying all materials, labour, T& P and Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	35.67	152.70	5446.81
				TOTAL	1135951.53
				Or Say	1135952.00

Cost of the Project

(Rupees Nine lakh nineteen thousand six hundred eighty one)only

Total No. of Items -19 Nos

Rel. 06.10/14
 Ex. Addl. P.D. (Tech.)
 DRDA, Maikangiri
 Zilla Parishad, Maikangiri

My Quoted rate is _____ % excess _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

XVII
TENDER SCHEDULE

hhsunpoder Andrapal hf

Name of the Project :- Construction 4 NOS ADDITIONAL CLASS ROOM AT <u>DANGARPADA</u> PS , Block- Chitrakonda					
Cost of Tender Paper : Rs.6000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 1155571.00			At : Chitrakonda		
Cost of Tender Paper : Rs .6000/-			Dist. : Malkangiri		
Earnest Money : 1% of the Estimate Cost			Time for completion of the work : 4 (Four) Months		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away form the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	36.03	211.00	7602.00
2	Supplying and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries. T & P required for the work etc complete in all respect as per direction of Engineer incharge.	Cum	37.49	365.00	13684.00
3	Providing & laying plain cement concrete 1:3:6 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pindh including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	6.11	5607.40	34261.00
4	Providing & laying plain cement concrete 1:4:8 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pindh including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	26.55	5119.20	135915.00
5	Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc complete. As per specification and direction of the Engineer-in -charge.	Cum	20.16	5061.70	102044.00
6	i. Providing , lifting hoisting laying Reinforced cement concrete of M20 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg/ Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	5.67	6850.10	38840.00

b	Column above Plinth	Cum	1.62	13301.60	21549.00
c	Grade Beam	Cum	2.71	8963.10	24200.00
d	Lintel Beam	Cum	1.81	10909.50	19746.00
e	Ring Beam	Cum	5.12	13301.60	68104.00
f	Chajja	Cum	0.79	14601.60	11535.00
g	Roof Slab	Cum	10.27	11627.00	119409.00
7	Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete.	Qntl	24.53	10825.80	265593.00
8	25mm thick grading concrete with C.C. (1:2:2) over roof slab complete in all respect.	Cum	82.23	355.90	29266.00
9	Supplying, fitting and fixing of M.S Door, M. S grill for windows and ventilators including cost of labour, material transportation etc.				
	a) Door	Kg	335.71	81.30	27293.00
	b) Window	Kg	223.13	78.80	17582.00
10	Labour for Fitting fixing of doors/windows etc complete.	Sqm	16.35	67.40	1102.00
11	12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	83.34	168.30	14026.00
12	16mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	122.77	237.20	29121.00
13	Fixing of Virified tiles in floors treads or steps and landing on 25mm thick bed of cement mortar 1:1 (1cement : 1sand) jointed with neat cement slury mixed with pigment o match the shades of the tiles	Sqm	80.10	1500.70	120206.00
14	Fitting and Fixing of chekers tiles in floor and treads	Sqm	6.95	1260.40	8760.00
15	20 mm thick cement plaster in cement mortar (1:6) over the inside wall surface including necessary scaffolding, curring, etc. completed.	Sqm	25.56	252.50	6454.00
16	Priming 1 coat with any approved primer including cost per 1 Sqm. (Plastered surface)	Sqm	127.14	66.40	8442.00
17	Distemper 2 coats to the inner walls & ceiling complete in all respect.	Sqm	194.32	73.40	14263.00
18	Weather coats to the outer walls & ceiling complete in all respect.	Sqm	127.14	81.90	10413.00
19	Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	39.76	152.70	6071.00
				TOTAL	1155571.00
				Or Say	1155571.00

Cost of the Project

Total No. of Items -19 Nos

(Rupees Eleven lakh fifty five thousand five hundred seventy one) only

Rel 06/01/24
Executive Engineer, RW&S-cum
ADD Project Director (Tech)
Ja Parishad, Malkangiri

My Quoted rate is _____ % excess _____ % less
 (Both in figures and words) over the amount put to tender

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any descricpency is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two ecimal point shall only be considered without rounding off.

6/1/24

TENDER SCHEDULE

Name of the Project :- Construction Boundary Wall at Andrapali UGHS					
Cost of Tender Paper : Rs.6000/-			Class of Contractor D / C		
Amount put to Tender (Approx.) : 1071002.00			At : Chitrakonda		
Cost of Tender Paper : Rs.6000/-			Dist. : Malkangiri		
Earnest Money : Bid Security Declaration			Time for completion of the		
SL	ITEM OF WORKS	QUANTIT	UNIT	RATE in Rs	AMOUNT in Rs
1	2	3	4	5	6
1	Supplying all materials, labour, T& P and Earth work in excavation of foundation trenches in ordinary soil except sheet rock and boulders (requiring blasting) including dressing and leveling the bed upto the required depth and depositing the excavated materials away from the site with all leads and lifts. T & P shoring and shuttering if required etc. complete as directed by engineer- in charge.	Cum	72.39	206.80	14971.00
2	Supplying all materials, labour, T& P and filling in foundation and ditches with sand well watered and rammed in layers not exceeding 23 cm in depth with all lead and lift including cost, conveyance, loading and unloading , royalties and taxes of all materials and cost of all labour, sundries, T & P required for the work etc complete in all respect as per direction of Engineer incharge	Cum	40.58	823.60	33425.00
3	Supplying all materials, labour, T& P and Providing & laying plain cement concrete 1:3:6 (1 cement 4 coarse and 8 graded stone aggregate fo 40 mm nominal size) in foundation and pinth including cost of hoisting, lowering laying concrete, ramming , watering and curing etc. complete to required levels laid in layers not exceeding 15cm thick including cost. Conveyance, loading and unloading, royalties and taxes all materials and cost of all labours, sundnes, T & P required for the work complete including dewatering if required as epr instrucion of Engineer-in- charge.	Cum	2.19	4941.30	10840.00
4	Supplying all materials, labour, T& P and Providing and laying K B brick masonry work in F & P throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	26.91	4279.56	115163.00
5	Supplying all materials, labour, T& P and Providing and laying C.B brick masonry work in super structure throughly soked in water with cement mortora (1:6) including necessary scaffolding, racking out joints, curing, etc. complete. As per specification and direction of the Engineer-in -charge.	Cum	67.28	4355.70	293030.00
6	Supplying all materials, labour, T& P andi. Providing , lifting hoisting laying Reinforced cement concrete of M25 grade in column footings , as per approved designs and drawings having a munimum compressive strength (in work test) 200 Kg / Square cm in 15cm. Cubes at 28 days after mixing and tests conducted in accordance with I.S. 416 using 12mm to 20 mm size black hard crusher broken granite stone ships of approved quality from approved quarry washed and cleaned (20mm size not to exceeds 25%) to be mixed in concrete mixture with ordinary protland cement (OPC) including noisting, lowering lying an dcompacting concrete by susing vibrators, watering and curing for 28 days centering and shuttering and finishing the exposed surface smooth proving grooves or beads wherever necessary including cost conveyance, loading and unloading royalties and taxes of all materials and cost of all labours sunones , T & P required fo rthe work ect complete in all respect excluding cost and conveyance of HYSD/MS steel and binding wires, and labour charges for straightaining, cutting, bending etc of M.S. rods of for steel and binding				
a	Column Base	Cum	9.87	6306.00	62252.00

b	Column	Cum	3.09	12429.60	38465.00
c	Grade Beam	Cum	10.32	8072.20	83265.00
7	Supplying all materials, labour, T& P and Cutting, bending binding and placing in position of reinforcement steel for RCC work including cost of binding wire, steel, tools etc. complete.	Qntl	23.28	9240.50	215137.55
8	Supplying all materials, labour, T& P and 12mm thick cement plaster in cement mortar (1:6) over the out side wall surface including necessary scaffolding, curring, etc. completed.	Sqm	292.50	158.50	46361.25
9	Supplying all materials, labour, T& P and 16mm thick cement plaster in cement mortar (1:6) over the inside wall surface urface including necessary scaffolding, curring, etc. completed.	Sqm	292.50	224.60	65695.50
10	Supplying all materials, labour, T& P and Providing two coat of enamel paint over the grill work including cost of all materials and labour etc. complete	Sqm	585.00	75.80	44343.00
11	Supplying all materials, labour, T& P and Providing cost of all materials etc. complete		234.00	205.34	48049.56
				TOTAL	1071001.86
				Or Say	1071002.00

Cost of the Project

Total No. of Items -11 Nos

(Rupees Ten lakh seventy one thousand two)only

Rd 06/01/24
Executive Engineer, RWS&S-cum
Add. Project Director (Tech)
Zilla Parishad, Malkangiri

My Quoted rate is _____ % excess _____
 (Both in figures and words) over the amount put to tender

6/11/24
 _____ % less

Signature of the Contractor

Note :

1. The contractor should not write any thing excepting quoting of percentage and in any case any thing else regarding
2. Strike out which are not applicable.
3. Percentage quoted by the contractor shall be accurately filled in figures and words, so that there is no discrepancy.
4. If any discrepancy is found in the percentage quoted in words and figures then the percentage quoted by the
5. The percentage quoted in the tender without mentioning excess or less will be treated as excess.
6. The contractor should write percentage excess or less upto one decimal point only. If he writes the percentage excess or less upto two or more decimal points the first two decimal point shall only be considered without rounding off.

6/11/24