

**TERMS, CONDITIONS & SPECIFICATION FOR
PRINTING & SUPPLY OF DIFFERENT IEC ITEMS ON RATE
CONTRACT BASIS FOR A PERIOD OF ONE YEAR**

Chief District Medical & Public Health Officer, Malkangiri
(HEALTH & F.W. DEPTT., GOVT. OF ODISHA)

Bid Reference No.- 7292 C.D.M & P.H.O, Malkangiri/ Printing & IEC Items 29/06/2026

TENDER DOCUMENT FOR PRINTING & SUPPLY OF DIFFERENT IEC ITEMS

DATE OF COMMENCEMENT OF TENDER	:30.06.2026	
LAST DATE & TIME OF RECEIPT OF BID DOCUMENTS	:20.07.2026	Up to 05.00 P.M.
DATE & TIME OF OPENING OF TENDER	:21.07.2026	at 11.00 A.M

PLACE OF OPENING OF BID DOCUMENTS: NHM OSWAN HALL,
O/o- C.D.M & P.H.O, Malkangiri

ADDRESS FOR COMMUNICATION
AND
RECEIPT OF BID DOCUMENTS

O/o. C.D.M & P.H.O, Malkangiri
At/Po. – Near OLD DHH, DNK
Dist. - Malkangiri
ODISHA-764045.


Chief District Medical & Public Health Officer,
Malkangiri

OFFICE OF THE C.D.M & P.H.O MALKANGIRI

Tender Call Notice

Sealed tenders are invited from the eligible bidders as per the eligibility criteria for Printing & supply of different IEC Items under NHM for the district of Malkangiri.

1. The bidders have to submit their tenders in separate sealed covers (i.e. **Cover "A"-Technical Bid & Cover "B"- Price Bid**). Both the covers should be put into a third **Cover "C"** which must be super-scribed as **"Tender for "Supply of different printing of IEC Items in reference to advt. no- _____"**.
2. **The Cover "A" (Technical Bid) should contain is as follows:**
 - 1) Check list with details of the documents enclosed in **Cover "A"** (as per **Annexure - A**) with page number. The document should be **serially arranged** as per this **Annexure - A** and should be securely tied and bound.
 - 2) Supplier, who have been blacklisted either by the Tender inviting authority or by any state Govt. or Central Govt. organization, is not eligible to participate in the tender for that item during the period of blacklisting. They should submit a declaration about this by a **Notary Public (Annexure – B)**.
 - 3) The bidder should submit the required EMD of **Rs.20,000/-**. The Earnest Money Deposit will be paid in the shape of Demand Draft only in favour of **Zill Swasthya Samiti Non-NRHM Fund, Malkangiri** from any Nationalized Bank payable at Malkangiri. EMD exemption is not permitted except to local SSI units registered in Odisha only as mentioned in Clause-4.3.
 - 4) Tender Paper cost of **Rs. 2,000/-** (Rupees Two Thousand only) in shape of Bank Draft/ Bankers Cheque in favour of the **Zill Swasthya Samiti Non-NRHM Fund, Malkangiri** Account, payable at Malkangiri. The Tender Paper cost is Non-Refundable and cannot be claimed by the tendering agency.
 - 5) List of Item (s) Quoted individually in the prescribed format. (**Annexure – C**).
 - 6) Copy of organization PAN.
 - 7) Copy of organization Income Tax Acknowledgement Report (**Assessment Year 2023-24, 2024-25 & 2025-26**) and copy of the audited financial statement for the last three financial year i.e. **2023-24, 2024-25 & 2025-26**.
 - 8) Photocopy GST registration certificate and GST updated return copy of 1st January 2026 to 31st March 2026 (GSTR-3B & GSTR-1).
 - 9) The supplier should have 3years experience in supplying of printing of IEC material to the Govt. Institutions. The copy of purchase order and performance certificate towards completion of work in support of work order from the user should be furnished in support of experience during last three years i.e., **2023-24, 2024-25 & 2025-26**.
 - 10) All the tender documents should signd by the bidders at the bottom of each page with his official seal duly affixed.


29/6/26

- 11) Sample copy of Poster, Leaflet, etc / Technical Brochures of the printing material to be submitted with bid documents.
- 12) They should quote the rates for individual items inclusive of GST and all other charges (if any) and should submit a self-declaration about this (**Annexure – D**).
- 13) They must submit the undertaking that they will supply the stocks **within Fifteen days** after issue of the Purchase Order from this office or it may be change as per quantity or urgency depending upon the authority.
- 14) The supplier shall have a minimum average annual turnover of Rs. 25 lakhs or more in the last three financial years i.e. **2023-24, 2024-25 & 2025-26 (Annexure-E)** and copy of the audited financial statement for the last three financial year i.e. **2023-24, 2024-25 & 2025-26** should be submitted.
- 15) The details of the specification of the IEC Material (**Annexure- G**).
- 16) Declaration in affidavit that the agency has not been issued any show-cause or notice from any offices for poor performance/non-supply of orders/ non-supply of goods in time frame from any Govt. offices/undertaking etc during the last 3years (**2023-24, 2024-25 & 2025-26 (Annexure- F)**)

3. General Condition:

- 1) Eligible bidders should submit their tender documents to “**Chief District Medical & Public Health Officer, Malkangiri, At- Near Old DHH, DNK, Malkangiri, Odisha-764045**” through **Speed Post / Registered Post / Courier only** as per scheduled date and time.
- 2) Any tender documents received after the due date & time will be rejected & kept unopened.
- 3) Violating the tender terms and conditions & non-supply / partially supply / supply, which is not as per technical specification, will be declared as **Blacklisted** and disqualify the firm to participate in any tender of this district for a period of next 03 (three) years from the date of issue of the letter and his E.M.D. if any will be forfeited.
- 4) Tenders documents should be typewritten or computerized, failing which the bidders will be ineligible for consideration. No further correction will be allowed.
- 5) If the successful bidder/ bidders fails to supply within the stipulated period i.e. 15 days from date of receipt of final proof from CDM & PHO, Malkangiri, liquidated damage @ 0.5% of the order value, per week of delay shall be deducted from the final payment. Maximum delay time acceptable is 8 weeks. Hence, the maximum liquidated damage shall be up to 4% of purchase order. If the bidder fails to supply within the maximum delay time his order stands cancelled automatically.
- 6) All information, documents and data coming in the possession of the organization as a result of execution of the job shall at all-time remain the property of the CDM & PHO, Malkangiri. The organization shall not make or allow any of his employee or agents etc. to make an unauthorized copy, use, access or other utilization of this material commercially or otherwise, directly or indirectly except as agreed to by the Office. The organization


29/16/26

shall also ensure complete confidentiality of the information and data provided to it in the course of carrying out the job.

- 7) The cost towards the testing of paper/printing material will be borne by the successful bidder.
- 8) Rates quoted against this tender notice shall remain valid up to 12 months after award of first contract and may be extendable up to next tender with due consent from both parties. No request for increase in rates, if any, will be allowed or entertained during this period.
- 9) All legal disputes are subject to the jurisdiction of Court of District Judge Malkangiri only.

4. The Cover "B" (Price Bid) should contain as follows:

- 1) Financial Bid must be submitted in the prescribed format as attached in **Annexure- I**. No other document should be enclosed in the Financial Bid. The Financial Bid should be sent in a separate sealed cover called **Cover "B" (Price Bid)**.
- 2) The rates should be computerized.
- 3) If there is difference between figures & words, words will be taken into consideration.
- 4) In the financial bid, the bidder with the lowest price shall be awarded the contract. However, in case two bidders quote the same lowest price, then the bidder with the highest annual average turnover shall be awarded the contract.

The last date for submission of the tender documents is fixed as mentioned above and will be opened on the next day as mentioned above by the purchase committee.

The undersigned reserves the right to reject or cancel any or all the tenders without assigning any reason thereof.




29/6/21

Chief District Medical & Public Health Officer
Malkangiri

CHECK LIST

Sl. No.	List of Tender Documents Submitted	Yes	No	Page No.
1	Cover "A"-Technical Bid			
2	Cover "B"- Price Bid			
3	Declaration by the organization will have to submit an Affidavit (On original Stamp Paper of relevant value) with the following clauses:- (Annexure -B) 1. It has not been blacklisted by any Government Organization 2. The organization does not have any legal suit / criminal case pending against it for violation of PF /ESI/MW Act or any other law. 3. The office will have no liability regarding transportation, loading and unloading of material and all the material ordered shall be delivered at the designated place in good condition. The defective or damaged printed material if any will be replaced by the Organization. 4. That the organization agrees to abide by all terms & conditions of tender			
4	EMD cost Rs.20,000/- (Rupees Twenty thousand Only) in form of Bank Draft/ Bankers cheque in favour of the Zill Swasthya Samiti Non-NRHM Fund, Malkangiri Account, payable at Malkangiri.			
5	Tender Paper cost Rs.2,000/- (Rupees Two Thousand only) in the form of Bank Draft/Bankers cheque in favour of the Zill Swasthya Samiti Non-NRHM Fund, Malkangiri , payable at Malkangiri. The Tender Paper cost is Non-Refundable and cannot be claimed by the tendering agency.			
6	List of Item (s) Quoted individually as per (Annexure - C).			
7	Self-attested photocopy of organization PAN.			
8	Self-attested photocopy of organization Income Tax Acknowledgement Report (Assessment Year 2023-24,2024-25 & 2025-26).			
9	Self-attested photocopy of GST registration certificate and GST updated return copy of January'2026 to March 2026(GSTR-3B & GSTR-1).			
10	Self-attested photocopy regarding 3 year experience in supplying of printing of IEC material to the Govt. Institutions. The copy of purchase order and performance certificate towards completion of work in support of work order from the user should be furnished in support of experience in supply and printing of IEC materials to any Govt. Organization. (Annexure-H).			
11	All the tender documents should sign by the bidders at the bottom of each page with his official seal duly affixed.			
12	Poster, Leaflet, etc / Technical Brochures of the IEC material.			
13	Self-Declaration regarding quote the rates for individual items inclusive of GST and all other charges (if any) (Annexure - D).			
14	Undertaking regarding, they will supply the stocks within fifteen days after issue of the Purchase Order from this office. It may be change as per quantity or urgency.			
15	Declaration regarding the supplier shall have a minimum annual average turnover of Rs. 25 Lakhs or more in the last three financial years i.e. 2023-24,2024-25 & 2025-26. The bidders shall submit the audited financial statement for the last financial year i.e. 2023-24,2024-25 & 2025-26 for verification of turnover (Annexure - E).			
16	The details specification of the IEC Material(Annexure- G)			
17	Declaration (Annexure- F)			



DECLARATION
(To be submitted on Bidder's in (₹.20) non-judicial paper)
[To be submitted in Technical Bid]
(Filled by the Notary)

To

**CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER
Malkangiri
At/Po- Near Old DHH, DNK-764045
Dist- Malkangiri**

Dear Madam/Sir,

Sub: Your Tender Ref. No. _____, Dated _____.

I / We hereby declare that our organization is having unblemished past record and was not under a declaration of ineligibility for corrupt and fraudulent practices issued by Government of India or any State Government/PSU in the country of India.

That the organization does not have any legal suit / criminal case pending against it for violation of PF /ESI/MW Act or any other law.


That the organization have **not been de-recognized / black listed** by the Tender inviting authority or by any state Govt. or Central Govt. organization for supply of **Not of Standard Quality Items / non-supply**.

That the tendering authority will have no liability regarding transportation, loading and unloading of material and all the material ordered shall be delivered at the designated place in good condition. The defective or damaged printed material if any will be replaced by the Organization.

Further, we agree to abide by all the terms and conditions as mentioned in the tender document.

We have also noted that CDM&PHO Malkangiri reserves the right to consider/ reject any or all bids without assigning any reason thereof.


Seal & Signature of the Notary


29/6/26

LIST OF ITEMS QUOTED

Sl. No.	Tender Quoted Sl. No.	Name of the Item (As per Annexure-G)	Specification submitted by the Bidders (mention details)	Specification as per the Annexure-G (YES/NO.)

Signature of the Bidder with seal


29/6/26

DECLARATION

(Filled by the Bidder)

I / We _____ do hereby declare that I / We have quoted the rates for individual items **inclusive of GST and all other charges (if any).**

Signature of the Bidder with seal


29/16/26

Annexure-E

(To be submitted in *Cover A -Technical Bid*)
(To be furnished in the *letter head* of the Auditor/ Chartered Accountant)

ANNUAL TURN OVER STATEMENT

The Annual Turnover for the last three financial years of M/s _____ who is a
Manufacturer /Distributor/supplier (Pl. tick whichever is applicable) are given below and certified that the
statement is true and correct.

Sl.No.	Year	Turnover in (Rs.)
1.	2023 - 2024 (FY) -	
2.	2024 - 2025 (FY) -	
3.	2025 - 2026 (FY) -	

Average Annual Turnover (for the above three years) in (Rs.) _____

Date:

Place:

Signature of Auditor/
Chartered Accountant
(Name in Capital)

Seal

Membership No.-
Registration No. of Firm
UDIN No.

Note:

- a) To be issued in the *letter head* of the Auditor/Chartered Accountant mentioning the
Membership no.


29/6/26

DECLARATION

(To be submitted on Bidder's in non-judicial paper of relevant value)

[To be submitted in Technical Bid]

(Filled by the Notary)

To
To

**CHIEF DISTRICTMEDICAL & PUBLIC HEALTH OFFICER
Malkangiri
At/Po- Near Old DHH, DNK-764045
Dist- Malkangiri**

Dear Madam/Sir,

Sub: Your Tender Ref. No. _____, Dated _____.

I / We hereby certifies and confirm that we or any of our promoters(s) / Directors(s) have not been issued any show cause or any notice by any govt. department of Odisha / or any other entity of GoO or any organization in India for performing poor in the same service/failing in supplying the items in time in the last contract during 2023-24, 2024-25 & 2025-26.

We further confirm that we are aware that, our proposal for the captioned project would be liable for rejection in case any material misrepresentation is made or discovered at any stage of the Bidding process or thereafter during the agreement period.

Dated this _____ Day of _____ 2026.

Seal & Signature of the Notary

Handwritten signature and date: 29/6/26

LIST OF TENDER ITEM

Sl no	Name of the Item	Specification
1	Poster	1) Size – 56 CM X 44 CM, Process–Multi Colour (four colour) & Paper – 130 GSM Art paper.
2		2) Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 130 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.
3		3) Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper.
4		4) Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 90 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.
5	Leaflet	1) Size – 28 CM x 22 CM, Process – Multi Colour(four colour)& Paper – 130 GSM Art Paper; Print - Single side
6		2) Size – 28 CM X 22 CM, Process – Multi Colour(four colour)& Paper – 90 GSM Art Paper; Print- Single Side
7		3) Size – 28 CM X 22 CM, Process – Multi Colour(four colour)& Paper – 90 GSM Art Paper; Print- Both side.
8		4) Size – 26 CM X 21 CM, Process – Multi Colour(four colour)& Paper – 70 GSM Art Paper; Print- Single Side
9		5) Size - 26 CM X 21 CM. Process – Black & White, Paper - 70 GSM Art Paper: Print-Single Side
10		6) Size - 14 CM X 22 CM. Process – Black & White, Paper - 70 GSM Art Paper: Print-Single Side
11	Change of Flex banner for Hoarding	Size- 16'x 8' (with fitting in 30 nos. block institute inside Malkangiri district)
12	Wall Painting	Size – 8' x 4', Process – Multi colour with water proof, plastic emulation paint. One base cote primer coating on the wall before painting
13	Painting of natural art	Size – per sq. ft., Process – Multi colour(four colour), Real Art Painting with enamel color.(Plastic Pant weather registrant) One base cote primer coating on the wall before painting.
14	Health Institute Branding	Size – 5'-0" X 3'-6", Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.
15	Signage Board	Size- 0'- 5"X 1'- 6", Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.
16	Screening register-1	Unit: Register: Size : (Closing Size : 36 cmx20 cm) Inner Pages: 200sheet; Inner paper: 70 GSM Maplitho White Paper: Both side black offset printing: Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.
17	Screening register-2	Unit: Register: Size : (Closing Size ; 32 cm X 20 cm) Inner Pages: 200sheet; Inner paper 70 GSM Maplitho White Paper: Both side black offset printing: Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.

Sl no	Name of the Item	Specification
18	Office register	Unit : Register; Size : (Closing Size : 29 cmx17 cm) Inner Pages: 100sheet; Inner paper: 70 GSM conquest Paper Both side black offset printing; Board Binding: 28 no.gray board, side cloth pasting, side Stitch with cover pasting label. (one format for single unit)
19	PIP book	Unit: Book; Paper Size: A4; No. of sheets: 200; Printing Type: Double side, Paper Quality: 70 GSM (White paper), Binding Type: Book binding; One Multicolor drawing sheet cove with front & Back side, paper for front cover page: 170 GSM paper glossy. (Single matter for each booklet of 200 page)
20	Institution Branding	Size- 3'-0"X 2'-0", Board: Sun board, Thickness – 3 mm; Print: Eco Solvent print with Pasting.
21	Display Board	Size – 3'X 2', Iron gauze bar 20 Gauze 1", Printing of message on flex & pasting print quality front lit them.
22	ASHA Folder	Size- 14 CM X 22 CM (A4 ½), Process- Multi Colour, Paper – 220 GSM Art Paper, Page- 4 side printing.
23	Handout for AWW /ASHA (6 Page Folder both side)	Unit: Booklet; Paper Size : A4; No. of sheets : 1; Printing Type : Both side Multi color; Paper Quality : 170 GSM White glossy paper
24	ASHA Standard Reporting Format	Unit: Booklet; Paper Size : A5; No. of sheets : 100 (single side printing); Printing Type : Single side, Black, Paper Quality : 70 GSM White Maplitho paper;
25	Reporting Format A4 size 2side	Unit: single sheet; Paper Size : A4; No. of sheets : 1; Printing Type : Both side Black color Paper Quality : 70 GSM White paper
26	Reporting Format A4 size 2 side pad binding	Unit: Booklet; Paper Size : A4; No. of sheets : 100; Printing Type : Both side Black color Paper Quality : 70 GSM White paper, Binding : Top side
27	Reporting Format A4 size 1 side	Unit: single sheet; Paper Size: A4; No. of sheets: 1; Printing Type: single side Black color; Paper Quality: 70 GSM White paper.
28	Reporting Format A4 size 1 side pad binding	Unit: Booklet; Paper Size: A4; No. of sheets: 100; Printing Type: single side Black color Paper Quality: 70 GSM White paper, Binding: top binding.
29	Reporting Format legal size	Unit: Booklet; Paper Size : Legal; No. of sheets : 1; Printing Type : Both side Black color Paper Quality : 70 GSM White paper
30	Reporting Format A3 size both side	Unit: Booklet; Paper Size : A3; No. of sheets : 1; Printing Type : Both side Black color Paper Quality : 70 GSM White paper
31	HMIS reporting format- SC	Unit: Booklet; Paper Size : A4; No. of sheets : 170 pages(single side printing); Printing Type : Single side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type : Top Pad binding , printed cover page mentioning month, year, name of the Sub centrewith hard straw board on back side; Cover Page : 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.
32	HMIS reporting format- PHC(N)	Unit: Booklet; Paper Size : A4; No. of sheets : 150 (single side printing); Printing Type : Single side, Black Paper Quality : 70 GSM White Maplitho paper; Binding Type : Top Pad binding printed cover page mentioning month, year, name of the PHC(N) with hard straw board on back side; Cover Page : 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.

Sl no	Name of the Item	Specification
33	HMIS reporting format- CHC/SDH/DHH	Unit: Booklet; Paper Size : A4; No. of sheets : 150 (single side printing); Printing Type : Single side, Black Paper Quality : 70 GSM White Maplitho paper; Binding Type : Top Pad binding printed cover page mentioning month, year, name of the CHC/SDH/DHH with hard straw board on back side; Cover Page : 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.
34	RKS Slip	Unit: Booklet; Paper Size : 1/10; No. of sheets : 100 (single side printing); Printing Type : Single side, Black Paper Quality : 70 GSM White Maplitho paper; Top pad binding
35	User fee collection Receipt book	Unit: Booklet; Paper Size : 1/12 ; No. of sheets : 100 (single copy); Printing Type : Single side, Receipt binding with par-potting; Black Paper Quality : 60 GSM color Maplitho paper; with unique numbering
36	ASHA incentive Voucher	Unit: Booklet; Paper Size : A4 ; No. of sheets : 100 (single copy); Printing Type : Single side black, top pad binding; Paper Quality : 60 GSM white paper; cover print paper : 130 GSM art paper; Print: Both side; colour: Multi colour.
37	ASHA Grade Card	Size – 28 CM x 22 CM, Process – Multi Colour(four colour)& Paper – 160 GSM Art Paper; Print - Single side
38	Sector Meeting Register	Unit : Register; Size : (Closing Size : 30 cmx20 cm) Inner Pages: 84 Cover page : 4sheet; Inner paper: 70 GSM Map litho White Paper ;Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.
39	HBNC Format	Unit: Booklet; Paper Size :¼ diemy; No. of sheets : 12 pages(single side printing); Printing Type : Both side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type : Center Stitching , with perforation of last page (2 nos. perforation in the last page) Brightness :77 (minimum).
40	Flex Banner Printing	240 GSM Flex Banner with 3 Pass Printing Quality
41	Vinyl Printing	Solvent Vinyl Printing (per sq. ft. wise)
42		Eco Solvent Vinyl Printing (per sq. ft. wise)
43	Branding Material Acrylic Signage Display (Sandwich Model)	Base Sheet : Imported Acrylic Sheet Size (3x2)Ft & 4mm thickness Topping Sheet : Imported Acrylic Sheet Size (3x2)Ft & 3mm thickness Fitting Type : Wall Mount by stainless steel stud (all 4 corners) Printing : Multicolour Eco-solvent Vinyl Printing Lamination : Gloss type Lamination Pasting: Flash cut and should be orderly pressing without air bubble inside.
44	Standee	Width: 3 feet with aluminum base. Height: Flexible aluminum rod extendable minimum of 6 feet height. Flex: 3 feet x 6 feet
45	Hand out brochure of 3 fold	Size- 15 inch X 10 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Both sides.
46	Invitation card	Size-6 inch x 4 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Single sides.
47	Due list cum Tally sheet	Unit: single; Paper Size: A3; No. of sheets: 1; Printing Type: single side, Paper Quality: 70 GSM White paper.

Sl no	Name of the Item	Specification
48	Mini Hoarding (6 x3) ft	Hoarding category-1 Display area : 6 ft x3 ft Display material : Flex should be best quality with digital multicolored printing Total height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used) Base (Inside ground) 2 ft in side cement concrete Above Ground: Ground to Top 8 ft. Length 6 ft L iron angle (2" L iron angle should be used) Mid joist bar to support display material : 3 ft L iron angle (2" L iron angle should be used)
49	Hoarding(8' x 16') ft	Hoarding category-3 Display area : 8 ft x16 ft Display material: Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 3 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft height from ground level. Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.
50	Hoarding (6' x 10') ft	Hoarding category-3 Display area : 6 ft x10 ft Display material: Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 2.5 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 4" x 2" / Angle= 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording.
51	Tuberculosis Laboratory Register	Size – A4, size.Cover;300 GSM Hard binding with red cloth / rexin corners with end leaves. Inside; 95GSM map litho paper. Printing; Black and white; both side landscape. Binding: Good quality hard board register binding; binding gutter on top; perfect sewn. No. of Pages;151 sheets (with number)
52	Culture and DST Register	Size – A3, size.Cover;300 GSM Hard binding with red cloth / rexin corners with end leaves. Inside; 95GSM map litho paper .Printing; Black and white; both side, Landscape Binding: Good quality hard board register binding; binding gutter on left side; perfect sewn. Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side. No. of Pages;101 sheets (with number)
53	TB Treatment Card	Size- A4, Landscape printing, Paper - 300GSM, Printing – Black & White both side.
54	Patient's TB Identity Card	Size- A5, Portrait printing, Paper- 300GSM, Printing – Black & White both side.
55	Publicity Van	Well decorated with Fixing of flex hording in front, back and both side along with mike set. with hiring charges of TATA ACE four wheeler minimum for 7 days.
56	Patient treatment card	Size-A5; Paper 95 GSM (non-glossy Paper) single fold, printing: Blank & white with both side Four inner page in a single card; along with front cover page: 170 GSM paper non glossy. (both side matter multicolor print) Landscape with middle stapling.

[Handwritten signature]
29/6/20

Sl no	Name of the Item	Specification
57	Reporting Format A4 size 1 side pad binding	Unit: Booklet; Paper Size: A4; No. of sheets: 50; Printing Type: single side Black color Paper Quality: 80 GSM White paper, Binding: side pad binding. Middle perforation for easy tearing
58	M1 Form/ M4 Form/SSLR register	Size – ½ Demy, size.Cover;170 GSM; Binding corners with end leaves. Inside; 70GSM map litho paper .Printing; Black and white; both side, Landscape Binding: Good quality register binding; binding gutter on left side; perfect sewn. Fabrication. No. of Pagescontains;100 sheets one register.
59	M3 Form	Size-1/4 Demy Paper, Process-One Side, Black & White, Paper-70 GSM, Cover with 170 GSM Paper back (1 Register=100 Pages)
60	DAMaN Register (Reporting Format of DAMaN Health Camp)	Size-Cartridge Paper, Process-Both side, Black & White, Landscape Paper – 70GSM, Cover binding with 170 GSM
61	Format for Line Listing of Beneficiaries under DAMaN Register	Unit : Register; Size : (Closing Size : 32 cmx20 cm) Inner Pages: 100sheet; Inner paper: 70 GSM conquest Paper White Paper ; Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.
62	LQAS (Module-II/III/IV/V)	Size-27cm X 21cm, Map litho colour paper(Pink/ Light Green/Yellow/ light blue);Process-Both Side, Mono Printing, Paper-70 GSM, With Stapling
63	Mini Hoarding (6 x3) ft tin plate	Hoarding category-3 Display area : 6 ft x10 ft Display material: Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 2.5 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 4" x 2" / Angle= 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording.
64	Mini Hoarding(4 x 3) ft tin plate	Hoarding category-2Display area : 4 ft x3 ftDisplay material : Preferably 18 gauge printed or printed tin plateTotal height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used)Base (Inside ground) 2 ft in side cement concreteAbove Ground: Ground to Top 8 ft.Length: 4 ft L iron angle (2" L iron angle should be used)
65	Hoarding (6' x 10') ft tin plate	Hoarding category-3 Display area : 6 ft X 10 ft Display material: Preferably 18 gauge printed or printed tin plate eco solvent vinyl should be pest best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 2.5 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 4" x 2" / Angles 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording.
66	Flip chart	Job type:- Flip chart, colour. Front+Back, CMYK (4 colour) Orientation, portrait. Wall calendar style, Refer to image Print process: offset Paper type: 170gsm-220GSM. uncoated Final print size: 16.54" X 22.39" inches (A2) Post processes-Spiral binding Card board on the Back Metal eye(rivet) for hanging it from a nail Front &Back mirror printing 1-3,2-5.4-7,6-9,8-11,10-13.....20 Blank

[Handwritten signature]
29/6/28

Sl no	Name of the Item	Specification
67	Handouts-Teacher/Anganwadi (3 Fold)	Job type:- Folder design, colour. Front+Back, CMYK (4 colour) Orientation: Landscape Print process: offset Paper type: 100GSM Final print size: 16.54" X 22.39" inches (Custom size) Post processes-Creasing Double perforation
68	Fabric Banner Printing	Multi-colour printing: Gaze: 160 GSM Fabric banner material is a recyclable, environmentally friendly alternative to PVC vinyl for signage and provides a silky, more elegant look and feel than paper prints.
69	Patient referral Cards at PHC level/SC level	Unit: Booklet No. of sheet 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing type (inner sheets) : Single side, Black 1st sheet of the booklet shall be printed as "Original" and the next sheet shall be printed as "Duplicate: (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size : ½ Demy Paper: Original sheet (white colour) - 80GSM Maplitho Brightness: 50 (Minimum) Duplicate sheet (Yellow colour) :- 54GSM Maplitho Binding Type: Top pad binding with stapling with ½ pound hard board on back side Cover page : 1 cover page on the front (80 GSM Map litho single sided Black printing as Patient Referral Card-PHC) Perforation : Perforation at the top of the Pad Binding (in Original Sheet of the booklet only)
70	Health Calender-1	Type: Wall hanging. Size : 11.5 inch × 18 inch (Half Demy) Paper: 130 GSM Art Paper Process: Multi colour offset printing Binding: Wire-O binding including hanger 4 pages back to back printing.
71	Health Calender-2	Size of each sheet of the calendar :91 x58.5 CM No. of sheet in each calendar : 10 sheets Paper to be used :220 GSM art paper Colour : Multicolour Binding : each sheet both side glossy lamination top ware with hanger Calendar is packed with a strong polythene beg/ envelop size 24" x 37"
72	HBYC Format (Booklet)	Size-A4 Demy-30 Sheets per booklet (Original & Duplicate) Total no. of pages- 12 Brightness: 80 (minimum) Printing (All pages) Paper: Original sheet white colour (75 GSM), Duplicate Sheet:- Yellow Colour (54 GSM)
73	CBAC Format	Size: A4 (80 GSM) Inner Page: 100 pages both side black & white printing. Cover page: 300 GSM Multi Colour front & back size

Sl no	Name of the Item	Specification
74	NBSU Case Sheet	NBSU Docket Folder with Pocket- Size 9.5" ×12 (folding Size) Pages-4 + inside 1, Pocket Paper: 350 GSM Art Paper (Gloos Finish), Brightness 80 (minimum), Printing Multicolour offset printing (front & back of the folder and on Pocket Folding & Packing : One fold & one Pocket (12 ×24 Cm pasting to contain 9-10nos sheet Discharge Card-8.5"×11 (folding Size), Pages-4 , Paper 120 GSM Map litho, Brightness 77(Min), Printing- Both side Multicolour offset printing Folding- One Side Neonatal Case Record Sheet-8.5"×11 (folding Size), Pages-4 , Paper 120 GSM Map litho, Brightness 77(Min), Printing- Both side Multicolour offset printing Folding- One Side. Treatment Contribution & Clinical Condition record sheet-8.5"×11 , pages-2 back to back, Paper 90 GSM Map litho, Brightness 77(Min), Printing- Bi colour offset printing. Monitoring and Nurse order Sheet:- 8.5"×11 , pages-2 back to back, Paper 90 GSM Map litho, Brightness 77(Min), Printing- Bi colour offset printing.
75	Gentamicin Treatment Card	Size: 17cm×23cm, Printing Type- Both side multi-colour offset printing, Paper Quality-250 GSM Art paper (Matt Finish), Brightness: 80 (Min).
76	Child Death Review Forms	Form-I-Unit- Booklet: Size-1/4 Demy, No. of Sheet 50 , Paper: 80 GSM Maplitho, Brightness-77(min.); Printing Both side black offset printing; Binding: Top pad binding with hard straw board (2mm) on back side. Form-II(1 st brief Investigation Report for ANM)-Unit- Forms: Size-1/4 Demy, No. of Sheet 4 , Paper: 80 GSM Maplitho, Brightness-77(min.); Printing Both side black offset printing; Binding: one folding at the middle. Form-III&IV (Verbal autopsy From: Neonatal Death/ Facility based Neonatal death)-Unit- Forms: Size-1/4 Demy, No. of Sheet 6 , Paper: 80 GSM Maplitho, Brightness-77(min.); Printing Both side black offset printing; Binding: Side stapling (2nos. of side stapling).
77	CPCH training Module	Unit Book ; Size: A4; Paper: 80 GSM Maplitho, Brightness-77(min.); Digital Printing including cover pages 300 GSM glossy. Binding : Side Book binding.
78	Canopy	Foldable/ Moldable canopySize 6' X 6" X 7'Fabric Media: Water proofPrinting: Multi colour printing inside of the canopy to be display.
79	Case record & Information sheet for NTPC	Unit: Booklet Size: ½ Demy Total Number of Page : 12 Paper : 80 GSM maplitho; Brightness :77 min Printing : 8 pages both side and 4 pages single side Binding center stitching Perforation : at middle of 9 page and side with border at 11th page
80	Flip Book	Unit: Flip Book Size 12" x 8" Total no. of sheet: 15 Sheet Paper (Flip Sheet): 300 GSM An paper (Gloss finish) Brightness : 80 Min. Printing : Multi Colour both side offset printing Lamination: both side Binding : Wiro Top binding with 20 mm Wiro Flip stand cover: Flip stand cover 1 ½ round multi board: 2 nos connected with each other with base having folding arrangement for hand held as well as table top position) having white art paper (130 GSM)


29/6/26

Sl no	Name of the Item	Specification
81	Installation of Retro Hoarding	Board Size- 4ft height x 3ft width Providing fitting & fixing up informative boards using upper high efficiency full cube retro-reflective sheeting of hite colour bonded on to 4mm aluminium aheet/ACP (0.25+3.50+0.25+0.25.pdvf coated) over which alphabet sand UV laminated with OEM approved over laminates (covers 3years warranty from the date of manufacturing on colour fading, peel off). The board shall be provided with frame made out of 202grade stainless pipes shall be moulded on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting/ releveling reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground. Fixing of the board including cost of the materials, conveyance, labour, transportation, etc. required for the work.
82	Installation of Retro Signage for UHND & RI Points	Board Size:-1.5 Ft Height x 1 ft Width Fitting & Fixing up signage in Retro -Reflective Sheet with 2 MM ACP sheet with UV laminated as per the requirement per sq feet.
83	Handouts	Job Type- Folder design, colour, front + back, CMYK (4 Colour), Orientation -Landscape, Print Process - Offset, Paper Quality -100 GSM, Final Print Size- 24.75" X 11.69" inches (Custom size) Post Processes: Creasing, Perforation.
84	Handouts	Size-7 ½ X 16 ½ Inches Paper: 300 GSM Art paper Multi Colour back to back. Binding: 2 fold. Machine Ceasing.
85	Handouts	Paper: 300 GSM Art paper Multi Colour back to back. Binding :3 fold, Machine Ceasing
86	Handouts	Size-1/4 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper: 170 GSM Maplitho.
87	Handouts	Size-1/6 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper: 170 GSM Maplitho.
88	Handouts	Size-1/4 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper:300 GSM Maplitho.
89	Handouts	Size-1/6 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper: 300 gsm Maplitho.
90	Printing of Forms	Printing of forms in A 3 Paper, Single Side Printing, 70 GSM
91	Printing of Forms	Printing of forms in A 3 Paper, Double Side Printing, 70 GSM
92	Printing of Forms	Printing of forms in A 2 Paper, Single Side Printing, 70 GSM
93	Printing of Forms	Printing of forms in A 2 Paper, Double Side Printing, 70 GSM
94	Printing of Forms	Printing of forms in Legal Paper, Single Side Printing, 70 GSM
95	Printing of Forms	Printing of form's in Legal Paper, Double Side Printing, 70 GSM.
96	Printing of Forms	Printing of forms in 1/16, 5X4.5inch Paper, Single Side Printing, 70 GSM
97	Printing of Forms	Printing of forms in 1/16, 5X4.5inch Paper, Double Side Printing, 70 GSM
98	Printing of Forms	Printing of forms in 1/16, 5X4.5inch Paper, Double Side, Bi colour Printing, 70 GSM
99	Printing of Forms	Printing of forms in 1/16, 5X4.5inch Paper, Double Side, Multi colour Printing, 70 GSM
100	Printing of Forms	Printing of forms in 1/8, 5 X 8.5 inch Paper, Single Side, Single colour Printing, 70 GSM

[Handwritten Signature]
29/6/26

Sl no	Name of the Item	Specification
101	Printing of Forms	Printing of forms in 1/8, 5 X 8.5 inch Paper, Both Side, Single colour Printing, 70 GSM
102	Printing of Forms	Printing of forms in 1/8, 5 X 8.5 inch Paper, Single Side, Multi colour Printing, 70 GSM
103	Printing of Health Calendar	The calendars may be printed by hired external agencies following due procurement procedures as per the specifications mentioned below; Specifications for wall hanging calendar: a. Size-11.5inchX18inch(Half Demy) b. Paper- 130GSM Art Paper c. Process - Multi Colour offset printing d. Binding - Wire-0 binding including hanger e. Noofsheets:7sheets(14pages) both side printing f. Lamination: 8 pages glossy lamination (Optional) During tender process rate quote may be invited with lamination and without lamination. If laminated calendars rate quote are within the budgetary limits then order may be given for laminated calendars or else go for not laminated option.
104	Printing of OPERATIONAL GUIDELINE	Total Pages: 50 to 100 Pages Paper Size: A4 Cover: Cover 2 Page (170 GSM) Paper: 130 GSM Multi Colour : All Pages
105	RBSK Docket Folder	Docket Folder with Pocket- Size 31cm x 23cm (folding Size) with two side pocket Paper: 350 GSM Art Paper (Gloos Finish), Brightness 80 (minimum), Printing Multicolour offset printing (front & back of the folder and on Pocket
106	Certificate	Paper Quality- 300GSM, Size - 11" x 8.5" Multicolour single side printing
107	Folder (Type-1)	Open size:36 cm X 24.5 cm, Close size: 18 cm X 24.5 cm, Printing : Both side Process: Multi colour, paper : 130 GSM art paper, single fold, four pages
108	Folder(Type-2)	Open size:36 cm X 24.5 cm, Close size: 36 cm X 24.5 cm, Printing : Both side Process: Multi colour, paper : 130 GSM art paper, single fold, Two pages
109	Folder(Type-3)	Open size:44 cm X 28 cm, Close size: 44 cm X 28 cm, Printing : Both side Process: Multi colour, paper : 130 GSM, art paper, single fold, four pages
110	Folder(Type-4)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, art paper, two fold, four pages
111	Folder(Type-5)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, art paper, two fold, six pages
112	Folder(Type-6)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 2 sheets and 4 pages, Printing Both side
113	Folder(Type-7)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 3 sheets and 6 pages, Printing Both side

M. S. S.
29/6/26

Sl no	Name of the Item	Specification
114	Folder(Type-8)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 4 sheets and 8 pages, Printing Both side
115	Folder(Type-9)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 5 sheets and 10 pages, Printing Both side
116	Folder(Type-10)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 6 sheets and 12 pages, Printing Both side
117	Paper Sticker (Type-1)	Size: 12CM X 15CM, Process: Multi colour Printing, paper : 90 GSM Sticker Paper
118	Paper Sticker (Type-2)	Size: 14CM X 22CM, Process: Multi colour Printing, paper : 90 GSM Sticker Paper
119	Paper Sticker (Type-3)	Size: 28 CM X 44 CM, Process: Multi colour Printing, paper : 90 GSM Sticker Paper
120	Paper Sticker (Type-3)	Size: 44 CM X 56 CM, Process: Multi colour Printing, paper : 90 GSM Sticker Paper
121	Radium Sticker	Radium Sticker 250 GSM, size: 14 cm X 22 cm
122	Glow sign board	Material- Star Backlit Flex, Multi colour printing & Fixing on the Iron Frame box – 18 gauge GI Sheet, Back lid print including electrical quality lighting fitting.
123	NCD Treatment & Referral Card	Size- A4, 2 sheets Foldable Both side Multicolour Portrait printing, Paper – 300 GSM
124	ASHA Booklet on CBE/SBE	14 Sheets, A4 Landscape Printing, 120 GSM Multicolour both side offset printing with laminated
125	ANM JOB AIDS (VIA Flash Card)	300 GSM Art Paper (Glossy Finish), Brightness -80 minimum (276 Pages)
126	E-CHART	Size: 23 cm X 35.5 cm (9 X 14 inches), Black & White Single Side 200 GSM laminated
127	SNCU Docket Folder with Pocket	Size: 9.6" x 12" (Folding size) Pages: 4+ inside 1 pocket Paper: 350 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing: Multi Colour offset printing (Front & Back of the folder) and on Pocket Folding & Pasting: One Fold & One Pocket (12 x 24 cm.) pasting to contain 9-10 nos, sheets
128	Discharge Card	Size 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.) Printing Both side Multi Colour offset printing Folding: One Fold

Sl no	Name of the Item	Specification
129	Neonatal Case Record Sheet	Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Mapithe, Brightness: 77 (Min.) Printing: Both side Multi Colour offset printing Folding: One Fold
130	Investigation Sheet	Size: 8.5 x 11" Pages: 2 pages back to back Paper: 90 GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing
131	Treatment Continuation & Clinical condition record Sheet	Size: 8.5" x 11" Pages: 2 Pages back to back Paper: 90-GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing
132	Monitoring & Nurses Order Sheet	Size: 8.5"x11" Pages: 2 Pages back to back Paper: 90 GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing
130	ASHA ID Card	Card size: CR 80 (85.6 X 54 mm), Orientation: Portrait, Material PVC Plastic. Multi Colour. Resolution 3000 dpi.
131	Employee ID Card	Card size: CR 80 (85.6 X 54 mm), Orientation: Portrait, Material PVC Plastic. Multi Colour. Resolution 3000 dpi.
132	Sun Board	Size – 1 ft' X 1 ft' Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.

Signature of the Bidder with seal



Annexure-H

FORMAT FOR SUBMISSION OF PAST PERFORMANCE IN GOVT. ORGANISATION

I. No.	Financial Year	Order no. with dt.	Order value	Performance Certificate	Name of the Organization
1	2025-26				
2	2024-25				
3	2023-24				

Following documents to be submitted along with the bid:

1. Purchase Order Copy.
2. Performance Certificate towards completion of work from the concerned institution should be furnished in support of experience.

Place
Date

(Signature and seal of the authorized signatory)



PRICE BID PRINTING MATERIALS

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
1	Poster	1) Size – 56 CM X 44 CM, Process–Multi Colour (four colour) & Paper – 130 GSM Art paper.	Per one Piece.		
2		2) Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 130 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.	Per one Piece.		
3		3) Size – 56 CM X 44 CM, Process – Multi Colour (four colour) & Paper – 90 GSM Art Paper.	Per one Piece.		
4		4) Size – 56 CM X 44 CM, Process – Multi Colour (four colour), Paper – 90 GSM Art Paper fixing with adhesive double side Gum tape in the back side of poster.	Per one Piece.		
5	Leaflet	1) Size – 28 CM x 22 CM, Process – Multi Colour(four colour)& Paper – 130 GSM Art Paper; Print - Single side	Per one Piece.		
6		2) Size – 28 CM X 22 CM, Process – Multi Colour(four colour)& Paper – 90 GSM Art Paper; Print- Single Side	Per one Piece.		
7		3) Size – 28 CM X 22 CM, Process – Multi Colour(four colour)& Paper – 90 GSM Art Paper; Print- Both side.	Per one Piece.		
8		4) Size – 26 CM X 21 CM, Process – Multi Colour(four colour)& Paper – 70 GSM Art Paper; Print- Single Side	Per one Piece.		
9		5) Size - 26 CM X 21 CM. Process – Black & White, Paper - 70 GSM Art Paper: Print-Single Side	Per one Piece.		
10		6) Size - 14 CM X 22 CM. Process – Black & White, Paper - 70 GSM Art Paper: Print-Single Side	Per one Piece.		
11	Change of Flex banner for Hoarding	Size- 16'x 8' (with fitting in 30 nos. block institute inside Malkangiri district)	Per one hoarding change		
12	Wall Painting	Size – 8' x 4', Process – Multi colour with water proof, plastic emulation paint. One base cote primer coating on the wall before painting	Per sq. ft.		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
13	Painting of natural art	Size – per sq. ft., Process – Multi colour(four colour), Real Art Painting with enamel color.(Plastic Pant weather registrant) One base cote primer coating on the wall before painting.	Per sq. ft.		
14	Health Institute Branding	Size – 5'-0" X 3'-6", Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.	Per one Piece.		
15	Signage Board	Size- 0'- 5"X 1'- 6", Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.	Per one Piece.		
16	Screening register-1	Unit: Register: Size : (Closing Size : 36 cmx20 cm) Inner Pages: 200sheet; Inner paper: 70 GSM Maplitho White Paper: Both side black offset printing: Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.	Per one Register		
17	Screening register-2	Unit: Register: Size : (Closing Size ; 32 cm X 20 cm) Inner Pages: 200sheet; Inner paper 70 GSM Maplitho White Paper: Both side black offset printing: Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.	Per one Register		
18	Office register	Unit : Register; Size : (Closing Size : 29 cmx17 cm) Inner Pages: 100sheet; Inner paper: 70 GSM conquest Paper Both side black offset printing; Board Binding: 28 no.gray board, side cloth pasting, side Stitch with cover pasting label. (one format for single unit)	Per one Register		
19	PIP book	Unit: Book; Paper Size: A4; No. of sheets: 200; Printing Type: Double side, Paper Quality: 70 GSM (White paper), Binding Type: Book binding; One Multicolor drawing sheet cove with front & Back side, paper for front cover page: 170 GSM paper glossy. (Single matter for each booklet of 200 page	Per one Book		
20	Institution Branding	Size- 3'-0"X 2'-0", Board: Sun board, Thickness – 3 mm; Print: Eco Solvent print with Pasting.	Per one Piece		
21	Display Board	Size – 3'X 2', Iron gauze bar 20 Gauze 1", Printing of message on flex & pasting print quality front lit them.	Per one Board		
22	ASHA Folder	Size- 14 CM X 22 CM (A4 ½), Process- Multi Colour, Paper – 220 GSM Art Paper, Page- 4 side printing.	Per one Folder		
23	Handout for AWW /ASHA (6 Page Folder both side)	Unit: Booklet; Paper Size : A4; No. of sheets : 1; Printing Type : Both side Multi color; Paper Quality : 170 GSM White glossy paper	Per one Handout		
24	ASHA Standard Reporting Format	Unit: Booklet; Paper Size : A5; No. of sheets : 100 (single side printing); Printing Type : Single side, Black, Paper Quality : 70 GSM White Maplitho paper;	Per one Booklet		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
25	Reporting Format A4 size 2side	Unit: single sheet; Paper Size : A4; No. of sheets : 1; Printing Type : Both side Black color Paper Quality : 70 GSM White paper	Per one format		
26	Reporting Format A4 size 2 side pad binding	Unit: Booklet; Paper Size : A4; No. of sheets : 100; Printing Type : Both side Black color Paper Quality : 70 GSM White paper, Binding : Top side	Per one Booklet		
27	Reporting Format A4 size 1 side	Unit: single sheet; Paper Size: A4; No. of sheets: 1; Printing Type: single side Black color; Paper Quality: 70 GSM White paper.	Per one Sheet		
28	Reporting Format A4 size 1 side pad binding	Unit: Booklet; Paper Size: A4; No. of sheets: 100; Printing Type: single side Black color Paper Quality: 70 GSM White paper, Binding: top binding.	Per one booklet		
29	Reporting Format legal size	Unit: Booklet; Paper Size : Legal; No. of sheets : 1; Printing Type : Both side Black color Paper Quality : 70 GSM White paper	Per one booklet		
30	Reporting Format A3 size both side	Unit: Booklet; Paper Size : A3; No. of sheets : 1; Printing Type : Both side Black color Paper Quality : 70 GSM White paper	Per one booklet		
31	HMIS reporting format-SC	Unit: Booklet; Paper Size : A4; No. of sheets : 170 pages(single side printing); Printing Type : Single side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type : Top Pad binding , printed cover page mentioning month, year, name of the Sub centrewith hard straw board on back side; Cover Page : 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.	Per one booklet		
32	HMIS reporting format-PHC(N)	Unit: Booklet; Paper Size : A4; No. of sheets : 150 (single side printing); Printing Type : Single side, Black Paper Quality : 70 GSM White Maplitho paper; Binding Type : Top Pad binding printed cover page mentioning month, year, name of the PHC(N) with hard straw board on back side; Cover Page : 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.	Per one booklet		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
33	HMIS reporting format- CHC/SDH/DHH	Unit: Booklet; Paper Size : A4; No. of sheets : 150 (single side printing); Printing Type : Single side, Black Paper Quality : 70 GSM White Maplitho paper; Binding Type : Top Pad binding printed cover page mentioning month, year, name of the CHC/SDH/DHH with hard straw board on back side; Cover Page : 1 colour cover page of 70 GSM; One original and duplicate should be mentioned at the right hand top corner. The original copy should have a provision for a dotted line which should be tearable.	Per one booklet		
34	RKS Slip	Unit: Booklet; Paper Size : 1/10; No. of sheets : 100 (single side printing); Printing Type : Single side, Black Paper Quality : 70 GSM White Maplitho paper; Top pad binding	Per one booklet		
35	User fee collection Receipt book	Unit: Booklet; Paper Size : 1/12 ; No. of sheets : 100 (single copy); Printing Type : Single side, Receipt binding with par-potting; Black Paper Quality : 60 GSM color Maplitho paper; with unique numbering	Per one booklet		
36	ASHA incentive Voucher	Unit: Booklet; Paper Size : A4 ; No. of sheets : 100 (single copy); Printing Type : Single side black, top pad binding; Paper Quality : 60 GSM white paper; cover print paper : 130 GSM art paper; Print: Both side; colour: Multi colour.	Per one booklet		
37	ASHA Grade Card	Size – 28 CM x 22 CM, Process – Multi Colour(four colour)& Paper – 160 GSM Art Paper; Print - Single side	Per one Card		
38	Sector Meeting Register	Unit : Register; Size : (Closing Size : 30 cmx20 cm) Inner Pages: 84 Cover page : 4sheet; Inner paper: 70 GSM Map litho White Paper ;Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.	Per one Register		
39	HBNC Format	Unit: Booklet; Paper Size : ¼ diemy; No. of sheets : 12 pages(single side printing); Printing Type : Both side, Black Paper Quality: 70 GSM White Maplitho paper; Binding Type : Center Stitching , with perforation of last page (2 nos. perforation in the last page) Brightness :77 (minimum).	Per one booklet		
40	Flex Banner Printing	240 GSM Flex Banner with 3 Pass Printing Quality	Per sq. ft.		
41	Vinyl Printing	Solvent Vinyl Printing (per sq. ft. wise)	Per sq. ft.		
42		Eco Solvent Vinyl Printing (per sq. ft. wise)	Per sq. ft		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
43	Branding Material Acrylic Signage Display (Sandwich Model)	Base Sheet : Imported Acrylic Sheet Size (3x2)Ft & 4mm thickness Topping Sheet : Imported Acrylic Sheet Size (3x2)Ft & 3mm thickness Fitting Type : Wall Mount by stainless steel stud (all 4 corners) Printing : Multicolour Eco-solvent Vinyl Printing Lamination : Gloss type Lamination Pasting: Flash cut and should be orderly pressing without air bubble inside.	Per one unit		
44	Standee	Width: 3 feet with aluminum base. Height: Flexible aluminum rod extendable minimum of 6 feet height. Flex: 3 feet x 6 feet	Per one unit		
45	Hand out brochure of 3 fold	Size- 15 inch X 10 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Both sides.	Per one brochure		
46	Invitation card	Size-6 inch x 4 inch, Process- Multi Colour, Paper – 170 GSM Art Paper, Print: Single sides.	Per one unit		
47	Due list cum Tally sheet	Unit: single; Paper Size: A3; No. of sheets: 1; Printing Type: single side, Paper Quality: 70 GSM White paper.	Per one sheet		
48	Mini Hoarding (6 x3) ft	Hoarding category-1 Display area : 6 ft x3 ft Display material : Flex should be best quality with digital multicolored printing Total height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used) Base (Inside ground) 2 ft in side cement concrete Above Ground: Ground to Top 8 ft. Length 6 ft L iron angle (2" L iron angle should be used) Mid joist bar to support display material : 3 ft L iron angle (2" L iron angle should be used)	Per one hoarding		
49	Hoarding(8' x 16') ft	Hoarding category-3 Display area : 8 ft x16 ft Display material: Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 3 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft height from ground level. Joist = 5" x 2.5" / Angle= 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording. The hoarding should cover the cost of materials tax transportation, mounting and one year AMC. Etc.	Per one hoarding		

SI no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
50	Hoarding (6' x 10') ft	Hoarding category-3 Display area : 6 ft x10 ft Display material: Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 2.5 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 4" x 2" / Angle= 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording.	Per one hoarding		
51	Tuberculosis Laboratory Register	Size – A4, size.Cover;300 GSM Hard binding with red cloth / rexin corners with end leaves. Inside; 95GSM map litho paper. Printing; Black and white; both side landscape. Binding: Good quality hard board register binding; binding gutter on top; perfect sewn. No. of Pages;151 sheets (with number)	Per one Register		
52	Culture and DST Register	Size – A3, size.Cover;300 GSM Hard binding with red cloth / rexin corners with end leaves. Inside; 95GSM map litho paper .Printing; Black and white; both side, Landscape Binding: Good quality hard board register binding; binding gutter on left side; perfect sewn. Fabrication: Rows of the table on the left side of the page should be aligned with the rows of the table on the right hand side. No. of Pages;101 sheets (with number)	Per one Register		
53	TB Treatment Card	Size- A4, Landscape printing, Paper - 300GSM, Printing – Black & White both side.	Per one Card		
54	Patient's TB Identity Card	Size- A5, Portrait printing, Paper- 300GSM, Printing – Black & White both side.	Per one Card		
55	Publicity Van	Well decorated with Fixing of flex hoarding in front, back and both side along with mike set. with hiring charges of TATA ACE four wheeler minimum for 7 days.	Per event		
56	Patient treatment card	Size-A5; Paper 95 GSM (non-glossy Paper) single fold, printing: Blank & white with both side Four inner page in a single card; along with front cover page: 170 GSM paper non glossy. (both side matter multicolor print) Landscape with middle stapling.	Per one Card		
57	Reporting Format A4 size 1 side pad binding	Unit: Booklet; Paper Size: A4; No. of sheets: 50; Printing Type: single side Black color Paper Quality: 80 GSM White paper, Binding: side pad binding. Middle perforation for easy tearing	Per one Booklet		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
58	M1 Form/ M4 Form/SSLR register	Size – ½ Demy, size.Cover;170 GSM; Binding corners with end leaves. Inside; 70GSM map litho paper .Printing; Black and white; both side, Landscape Binding: Good quality register binding; binding gutter on left side; perfect sewn. Fabrication. No. of Pagescontains;100 sheets one register.	Per one Register		
59	M3 Form	Size-1/4 Demy Paper, Process-One Side, Black & White, Paper-70 GSM, Cover with 170 GSM Paper back (1 Register=100 Pages)	Per one Register		
60	DAMaN Register (Reporting Format of DAMaN Health Camp)	Size-Cartridge Paper, Process-Both side, Black & White, Landscape Paper –70GSM, Cover binding with 170 GSM	Per one Register		
61	Format for Line Listing of Beneficiaries under DAMaN Register	Unit : Register; Size : (Closing Size : 32 cmx20 cm) Inner Pages: 100sheet; Inner paper: 70 GSM conquest Paper White Paper ; Both side black offset printing; Board Binding: 28 no. gray board, side cloth pasting, side Stitch with cover pasting label.	Per one Register		
62	LQAS (Module-II/III/IV/V)	Size-27cm X 21cm, Map litho colour paper(Pink/ Light Green/Yellow/ light blue);Process-Both Side, Mono Printing, Paper-70 GSM, With Stapling	Per one Sheet		
63	Mini Hoarding (6 x3) ft tin plate	Hoarding category-3 Display area : 6 ft x10 ft Display material: Flex should be best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 2.5 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 4" x 2" / Angle= 3" x 3" / Angle= 2" x 2" The hording should be tagged as RMNCH+A hording no.- with date of installation in a suitable area of the hording.	Per one Hoarding		
64	Mini Hoarding(4 x 3) ft tin plate	Hoarding category-2Display area : 4 ft x3 ftDisplay material : Preferably 18 gauge printed or printed tin plateTotal height from inside the ground : 10 ft L iron angle (2" L iron Angle should be used)Base (Inside ground) 2 ft in side cement concreteAbove Ground: Ground to Top 8 ft.Length: 4 ft L iron angle (2" L iron angle should be used)	Per one Hoarding		

SI no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
65	Hoarding (6' x 10') ft tin plate	Hoarding category-3 Display area : 6 ft X 10 ft Display material: Preferably 18 gauge printed or printed tin plate eco solvent vinyl should be pest best quality with digital multicolored printing. Flex should be fixed by iron pipes and GI wires. Base (Inside ground) 2.5 ft in side cement concrete Above Ground: structure of the hoarding will be 5 ft. height from ground level. Joist = 4" x 2" / Angles 3" x 3" / Angle= 2" x 2" The hoarding should be tagged as RMNCH+A hoarding no.- with date of installation in a suitable area of the hoarding.	Per one Hoarding		
66	Flip chart	Job type:- Flip chart, colour. Front+Back, CMYK (4 colour) Orientation, portrait. Wall calendar style, Refer to image Print process: offset Paper type: 170gsm-220GSM. uncoated Final print size: 16.54" X 22.39" inches (A2) Post processes-Spiral binding Card board on the Back Metal eye(rivet) for hanging it from a nail Front & Back mirror printing 1-3,2-5.4-7,6-9,8-11,10-13.....20 Blank	Per one Unit		
67	Handouts- Teacher/Anganwadi (3 Fold)	Job type:- Folder design, colour. Front+Back, CMYK (4 colour) Orientation: Landscape Print process: offset Paper type: 100GSM Final print size: 16.54" X 22.39" inches (Custom size) Post processes-Creasing Double perforation	Per one Handout		
68	Fabric Banner Printing	Multi-colour printing: Gaze: 160 GSM Fabric banner material is a recyclable, environmentally friendly alternative to PVC vinyl for signage and provides a silky, more elegant look and feel than paper prints.	Per sq. ft		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
69	Patient referral Cards at PHC level/SC level	Unit: Booklet No. of sheet 50 (50 sheets marked as original + 50 sheets marked as duplicate) with one carbon sheet in each booklet. Printing type (inner sheets) : Single side, Black 1st sheet of the booklet shall be printed as "Original" and the next sheet shall be printed as "Duplicate: (for taking carbon copy) and this will be repeated in the remaining sheets of the booklet. Paper size : ½ Demy Paper: Original sheet (white colour) - 80GSM Maplitho Brightness: 50(Minimum) Duplicate sheet (Yellow colour) :- 54GSM Maplitho Binding Type: Top pad binding with stapling with ½ pound hard board on back side Cover page : 1 cover page on the front (80 GSM Map litho single sided Black printing as Patient Referral Card-PHC) Perforation : Perforation at the top of the Pad Binding (in Original Sheet of the booklet only)	Per one Booklet		
70	Health Calender-1	Type: Wall hanging. Size : 11.5 inch × 18 inch (Half Demy) Paper: 130 GSM Art Paper Process: Multi colour offset printing Binding: Wire-O binding including hanger 4 pages back to back printing.	Per one unit		
71	Health Calender-2	Size of each sheet of the calendar :91 x58.5 CM No. of sheet in each calendar : 10 sheets Paper to be used :220 GSM art paper Colour : Multicolour Binding : each sheet both side glossy lamination top ware with hanger Calendar is packed with a strong polythene beg/ envelop size 24" x 37"	Per one unit		
72	HBYC Format (Booklet)	Size-A4 Demy-30 Sheets per booklet (Original & Duplicate) Total no. of pages- 12 Brightness: 80 (minimum) Printing (All pages) Paper: Original sheet white colour (75 GSM), Duplicate Sheet:- Yellow Colour (54 GSM)	Per one Booklet		
73	CBAC Format	Size: A4 (80 GSM) Inner Page: 100 pages both side black & white printing. Cover page: 300 GSM Multi Colour front & back size	Per one Booklet		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
74	NBSU Case Sheet	NBSU Docket Folder with Pocket- Size 9.5" ×12 (folding Size) Pages-4 + inside 1, Pocket Paper: 350 GSM Art Paper (Gloos Finish), Brightness 80 (minimum), Printing Multicolour offset printing (front & back of the folder and on Pocket Folding & Packing : One fold & one Pocket (12 ×24 Cm pasting to contain 9-10nos sheet Discharge Card-8.5"×11 (folding Size), Pages-4 , Paper 120 GSM Map litho, Brightness 77(Min), Printing- Both side Multicolour offset printing Folding- One Side Neonatal Case Record Sheet-8.5"×11 (folding Size), Pages-4 , Paper 120 GSM Map litho, Brightness 77(Min), Printing- Both side Multicolour offset printing Folding- One Side. Treatment Contribution & Clinical Condition record sheet-8.5"×11 , pages-2 back to back, Paper 90 GSM Map litho, Brightness 77(Min), Printing- Bi colour offset printing. Monitoring and Nurse order Sheet:- 8.5"×11 , pages-2 back to back, Paper 90 GSM Map litho, Brightness 77(Min), Printing- Bi colour offset printing.	Per one unit		
75	Gentamicin Treatment Card	Size: 17cm×23cm, Printing Type- Both side multi-colour offset printing, Paper Quality-250 GSM Art paper (Matt Finish), Brightness: 80 (Min).	Per one card		
76	Child Death Review Forms	Form-I-Unit- Booklet: Size-1/4 Demy, No. of Sheet 50 , Paper: 80 GSM Maplitho, Brightness-77(min.); Printing Both side black offset printing; Binding: Top pad binding with hard straw board (2mm) on back side.	Per one unit		
		Form-II(1 st brief Investigation Report for ANM)-Unit- Forms: Size-1/4 Demy, No. of Sheet 4 , Paper: 80 GSM Maplitho, Brightness-77(min.); Printing Both side black offset printing; Binding: one folding at the middle.	Per one unit		
		Form-III&IV (Verbal autopsy From: Neonatal Death/ Facility based Neonatal death)-Unit-Forms: Size-1/4 Demy, No. of Sheet 6 , Paper: 80 GSM Maplitho, Brightness-77(min.); Printing Both side black offset printing; Binding: Side stapling (2nos. of side stapling).	Per one unit		
77	CPCH training Module	Unit Book ; Size: A4; Paper: 80 GSM Maplitho, Brightness-77(min.); Digital Printing including cover pages 300 GSM glossy. Binding : Side Book binding.	Per one Book		
78	Canopy	Foldable/ Moldable canopySize 6' X 6" X 7'Fabric Media: Water proofPrinting: Multi colour printing inside of the canopy to be display.	Per one unit		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
79	Case record & Information sheet for NTPC	Unit: Booklet Size: ½ Demy Total Number of Page : 12 Paper : 80 GSM maplitho; Brightness :77 min Printing : 8 pages both side and 4 pages single side Binding center stitching Perforation : at middle of 9 page and side with border at 11th page	Per one Booklet		
80	Flip Book	Unit: Flip Book Size 12" x 8" Total no. of sheet: 15 Sheet Paper (Flip Sheet): 300 GSM An paper (Gloss finish) Brightness : 80 Min. Printing : Multi Colour both side offset printing Lamination: both side Binding : Wiro Top binding with 20 mm Wiro Flip stand cover: Flip stand cover 1 ½ round multi board: 2 nos connected with each other with base having folding arrangement for hand held as well as table top position) having white art paper (130 GSM)	Per one Book		
81	Installation of Retro Hoarding	Board Size- 4ft height x 3ft wedth Providing fitting & fixing up informative boards using upper high efficiency full cube retro-reflective sheeting of hite colour bonded on to 4mm aluminium aheet/ACP (0.25+3.50+0.25+0.25.pdvf coated) over which alphabet sand UV laminated with OEM approved over laminates (covers 3years warranty from the date of manufacturing on colour fading, peel off). The board shall be provided with frame made out of 202grade stainless pipes shall be moulded on two vertical posts made out of 50mm NB stainless pipe as have been installed including concreting/ reveling reinforcement etc. The height of this post should be 10ft in which 1.5ft under the ground, rest will visible above of the ground. Fixing of the board including cost of the materials, conveyance, labour, transportation, etc. required for the work.	Per Unit		
82	Installation of Retro Signage for UHND & RI Points	Board Size:-1.5 Ft Height x 1 ft Width Fitting & Fixing up signage in Retro -Reflective Sheet with 2 MM ACP sheet with UV laminated as per the requirement per sq feet.	Per Unit		
83	Handouts	Job Type- Folder design, colour, front + back, CMYK (4 Colour), Orientation -Landscape, Print Process - Offset, Paper Quality -100 GSM, Final Print Size- 24.75" X 11.69" inches (Custom size) Post Processes: Creasing, Perforation.	Per Piece Rate		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
84	Handouts	Size-7 ½ X 16 ½ Inches Paper: 300 GSM Art paper Multi Colour back to back. Binding: 2 fold. Machine Ceasing.	Per Piece Rate		
85	Handouts	Paper: 300 GSM Art paper Multi Colour back to back. Binding :3 fold, Machine Ceasing	Per Piece Rate		
86	Handouts	Size-1/4 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper: 170 GSM Maplitho.	Per Piece Rate		
87	Handouts	Size-1/6 Demi Multi Colour Both Side Printing 2 fold paper Machine Creasing Paper: 170 GSM Maplitho.	Per Piece Rate		
88	Handouts	Size-1/4 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper:300 GSM Maplitho.	Per Piece Rate		
89	Handouts	Size-1/6 Demi Multi Colour Both Side Printing 3 fold paper Machine Creasing Paper: 300 gsm Maplitho.	Per Piece Rate		
90	Printing of Forms	Printing of forms in A 3 Paper, Single Side Printing, 70 GSM	Per Piece Rate		
91	Printing of Forms	Printing of forms in A 3 Paper, Double Side Printing, 70 GSM	Per Piece Rate		
92	Printing of Forms	Printing of forms in A 2 Paper, Single Side Printing, 70 GSM	Per Piece Rate		
93	Printing of Forms	Printing of forms in A 2 Paper, Double Side Printing, 70 GSM	Per Piece Rate		
94	Printing of Forms	Printing of forms in Legal Paper, Single Side Printing, 70 GSM	Per Piece Rate		
95	Printing of Forms	Printing of form's in Legal Paper, Double Side Printing, 70 GSM.	Per Piece Rate		
96	Printing of Forms	Printing of forms in 1/16, 5X4.5inch Paper, Single Side Printing, 70 GSM	Per Piece Rate		
97	Printing of Forms	Printing of forms in 1/16, 5X4.5inch Paper, Double Side Printing, 70 GSM	Per Piece Rate		
98	Printing of Forms	Printing of forms in 1/16, 5X4.5inch Paper, Double Side, Bi colour Printing, 70 GSM	Per Piece Rate		

SI no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
99	Printing of Forms	Printing of forms in 1/16, 5X4.5inch Paper, Double Side, Multi colour Printing, 70 GSM	Per Piece Rate		
100	Printing of Forms	Printing of forms in 1/8, 5 X 8.5 inch Paper, Single Side, Single colour Printing, 70 GSM	Per Piece Rate		
101	Printing of Forms	Printing of forms in 1/8, 5 X 8.5 inch Paper, Both Side, Single colour Printing, 70 GSM	Per Piece Rate		
102	Printing of Forms	Printing of forms in 1/8, 5 X 8.5 inch Paper, Single Side, Multi colour Printing, 70 GSM	Per Piece Rate		
103	Printing of Health Calendar	The calendars may be printed by hired external agencies following due procurement procedures as per the specifications mentioned below; Specifications for wall hanging calendar: a. Size-11.5inchX18inch(Half Demy) b. Paper- 130GSM Art Paper c. Process - Multi Colour offset printing d. Binding - Wire-0 binding including hanger e. Noofsheets:7sheets(14pages) both side printing f. Lamination: 8 pages glossy lamination (Optional) During tender process rate quote may be invited with lamination and without lamination. If laminated calendars rate quote are within the budgetary limits then order may be given for laminated calendars or else go for not laminated option.	Rate per calendar		
104	Printing of OPERATIONAL GUIDELINE	Total Pages: 50 to 100 Pages Paper Size: A4 Cover: Cover 2 Page (170 GSM) Paper: 130 GSM Multi Colour : All Pages	Rate per Book		
105	RBSK Docket Folder	Docket Folder with Pocket- Size 31cm x 23cm (folding Size) with two side pocket Paper: 350 GSM Art Paper (Gloos Finish), Brightness 80 (minimum), Printing Multicolour offset printing (front & back of the folder and on Pocket	Rate per folder		
106	Certificate	Paper Quality- 300GSM, Size - 11" x 8.5" Multicolour single side printing	per certificate		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
107	Folder (Type-1)	Open size:36 cm X 24.5 cm, Close size: 18 cm X 24.5 cm, Printing : Both side Process: Multi colour, paper : 130 GSM art paper, single fold, four pages	Per Piece Rate		
108	Folder(Type-2)	Open size:36 cm X 24.5 cm, Close size: 36 cm X 24.5 cm, Printing : Both side Process: Multi colour, paper : 130 GSM art paper, single fold, Two pages	Per Piece Rate		
109	Folder(Type-3)	Open size:44 cm X 28 cm, Close size: 44 cm X 28 cm, Printing : Both side Process: Multi colour, paper : 130 GSM, art paper, single fold, four pages	Per Piece Rate		
110	Folder(Type-4)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, art paper, two fold, four pages	Per Piece Rate		
111	Folder(Type-5)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, art paper, two fold, six pages	Per Piece Rate		
112	Folder(Type-6)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 2 sheets and 4 pages, Printing Both side	Per Piece Rate		
113	Folder(Type-7)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 3 sheets and 6 pages, Printing Both side	Per Piece Rate		
114	Folder(Type-8)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 4 sheets and 8 pages, Printing Both side	Per Piece Rate		
115	Folder(Type-9)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 5 sheets and 10 pages, Printing Both side	Per Piece Rate		
116	Folder(Type-10)	Open size: A/4, Printing : Both side Process: Multi colour, paper : 130 GSM, Booklet contains 6 sheets and 12 pages, Printing Both side	Per Piece Rate		
117	Paper Sticker (Type-1)	Size: 12CM X 15CM, Process: Multi colour Printing, paper : 90 GSM Sticker Paper	Per Piece Rate		
118	Paper Sticker (Type-2)	Size: 14CM X 22CM, Process: Multi colour Printing, paper : 90 GSM Sticker Paper	Per Piece Rate		
119	Paper Sticker (Type-3)	Size: 28 CM X 44 CM, Process: Multi colour Printing, paper : 90 GSM Sticker Paper	Per Piece		

SI no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
120	Paper Sticker (Type-3)	Size: 44 CM X 56 CM, Process: Multi colour Printing, paper : 90 GSM Sticker Paper	Per Piece Rate		
121	Radium Sticker	Radium Sticker 250 GSM, size: 14 cm X 22 cm	Per Piece Rate		
122	Glow sign board	Material- Star Backlit Flex, Multi colour printing & Fixing on the Iron Frame box – 18 gauge GI Sheet, Back lid print including electrical quality lighting fitting.	Per Sq ft		
123	NCD Treatment & Referral Card	Size- A4, 2 sheets Foldable Both side Multicolour Portrait printing, Paper – 300 GSM	Per Pc Rate		
124	ASHA Booklet on CBE/SBE	14 Sheets, A4 Landscape Printing, 120 GSM Multicolour both side offset printing with laminated	Per Pc Rate		
125	ANM JOB AIDS (VIA Flash Card)	300 GSM Art Paper (Glossy Finish), Brightness -80 minimum (276 Pages)	Per Pc Rate		
126	E-CHART	Size: 23 cm X 35.5 cm (9 X 14 inches), Black & White Single Side 200 gsm laminated	Per Pc Rate		
127	SNCU Docket Folder with Pocket	Size: 9.6" x 12" (Folding size) Pages: 4+ inside 1 pocket Paper: 350 GSM Art Paper (Gloss Finish), Brightness: 80 (Minimum) Printing: Multi Colour offset printing (Front & Back of the folder) and on Pocket Folding & Pasting: One Fold & One Pocket (12 x 24 cm.) pasting to contain 9-10 nos, sheets	Per Pc Rate		
128	Discharge Card	Size 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Maplitho, Brightness: 77 (Min.) Printing Both side Multi Colour offset printing Folding: One Fold	Per Pc Rate		
129	Neonatal Case Record Sheet	Size: 8.5" x 11" (Folding Size) Pages: 4 Paper: 120 GSM Mapithe, Brightness: 77 (Min.) Printing: Both side Multi Colour offset printing Folding: One Fold	Per Pc Rate		

Sl no	Name of the Item	Specification	Unit	Price inclusive of all TAX	% of GST
130	Investigation Sheet	Size: 8.5 x 11" Pages: 2 pages back to back Paper: 90 GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing	Per Pc Rate		
131	Treatment Continuation & Clinical condition record Sheet	Size: 8.5" x 11" Pages: 2 Pages back to back Paper: 90-GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing	Per Pc Rate		
132	Monitoring & Nurses Order Sheet	Size: 8.5"x11" Pages: 2 Pages back to back Paper: 90 GSM Maplitho, Brightness: 77 (Min.) Printing: Bi Colour offset printing	Per Pc Rate		
130	ASHA ID Card	Card size: CR 80 (85.6 X 54 mm), Orientation: Portrait, Material PVC Plastic. Multi Colour. Resolution 3000 dpi.	Per Pc Rate		
131	Employee ID Card	Card size: CR 80 (85.6 X 54 mm), Orientation: Portrait, Material PVC Plastic. Multi Colour. Resolution 3000 dpi.	Per Pc Rate		
132	Sun Board	Size – 1 ft' X 1 ft' Sun board Vinyl Pasting, Thickness – 3 mm Eco Solvent Printing.	Per sq. ft Rate		

(Signature and seal of the authorized signatory)

